

LABEL YOUR JOB YOUR WAY

Labeling Solutions from Epson LabelWorks





LABELING MATERIALS FOR EVERY APPLICATION

With more than 180 types of label media to choose from in the Epson LabelWorks' Industrial Collection, you have plenty of choices to suit your needs:

- If you need only labels up to 3/4" (18 mm) choose from the LW-PX300 or LW-PX350.
- For slightly larger labels of up to 1" (24 mm) check out the LW-PX400, LW-PX700 or LW-PX750.
- Or make a statement with wider formats with the LW-PX800 and LW-PX900 for labels of up to 1.5" (36 mm), or for labels up to 2" (50 mm) choose the LW-Z5000PX or LW-Z5010PX printers.

And you not only choose the color of the label media, you choose the imprint color as well! Of course, there's classic black. Now imagine beautifully bright imprints of red, white or gold on a host of rich dark or clear label media in several materials. Choose from printable heat shrink tube for wire and cable identification, printable magnetic tape perfect for refrigerators or magnetic whiteboards, and many other industrial-strength media options.

CONNECTIVITY, MOBILE APP-ENABLED

Epson LabelWorks printers are perfect for first-time or experienced labelers seeking the freedom to design and print labels on their mobile device. Use Epson's free mobile app, Label Editor Mobile, connected to your device via Bluetooth® or WiFi and you're ready to go!

(Bluetooth®: LW-PX400 printers)

(WiFi: LW-Z5010PX, LW-Z5000PX, and LW-PX800)

SAFELY CUT LABELS AUTOMATICALLY

The convenient built-in automatic cutter in eight models safely cuts adhesive-backed labels perfectly – exactly where you want your labels cut.

SMALL MARGINS MEAN BIG SAVINGS!

You won't use excessive label tape with Epson LabelWorks. That's because Epson LabelWorks' LW-PX700, LW-PX750, LW-PX900, LW-Z5000PX, and LW-Z5010PX come equipped with "auto rewind" technology. The printer rewinds unused tape from the mouth of the cartridge prior to every print, reducing tape waste, creating 4mm lead margins, and 1mm label margins, unlike competing models that waste 1" of tape on every label. A little savings on each label adds up in a big way!

EPSON LABELWORKS LABEL PRINTERS AND SUPPLIES MAKE LABELING EASIER

From industrial inventory management to home organization and every labeling application in between.

ON THE JOB

On the job, Epson LabelWorks provides the tools you need for cable labeling and wire marking, safety labeling, general identification labels, inventory and asset management labeling, even labels for office organization.

LIFETIME WARRANTY

Let's face it. Life happens. Coffee gets spilled. Dogs chew on stuff. Things fall from shelves. No matter what happens to your Epson LabelWorks printer, you are covered. Contact Customer Support, send us the broken printer and we'll send you a brand new one. Easy-peasy.



THE IDEAL COMPANION FOR EVERY JOB

Epson LabelWorks is the ideal solution for:

- Cable/Wire ID
- Self-Lam/Wire Wrap
- Network Install
- Asset ID/Management
- Parts Bins
- Bar Codes/QR Codes
- Fuse Boxes/Circuit Breakers
- HVAC Controls
- Schematics
- Prototype ID
- Pipe Markers
- Tool/Parts Cribs
- Specimen Labeling
- Test Tubes
- Pharmaceutical Supplies
- Quality Control Regulations
- Safety (OSHA/ANSI)
- Valves
- Piping/Tubing
- Control Panels
- Gym Lockers
- Library Shelves & Books
- Office Common Areas/Breakrooms

and MUCH MORE!

Every single Epson LabelWorks printer comes with an unmatched no-questions-asked lifetime warranty. If anything happens to your printer, no matter who's at fault, just contact customer support, send it back to us and you'll receive a brand new printer of the same model at no cost to you.

LIFETIME WARRANTY


Check LabelWorks.Epson.com for product updates and information



LW-Z5010PX



VARIETY OF LABELING SUPPLIES



LW-Z5010PX prints on every label supply and size that Epson LabelWorks has to offer. From 1/6" (4 mm) to 2" (50 mm), we have the size to fit your labeling needs.

POWERFUL DESIGN SOFTWARE



Create stunning, professional, customized labels using Epson's Label Editor Software. This powerful, intuitive label design software will make batch printing easy by loading spreadsheets, and comes loaded with hundreds of icons, symbols, and templates.

SCANNABLE LABEL



Easily Create Bar Codes and QR Codes in the stand-alone model, using Label Editor Software, or Label Editor Mobile App!

AVAILABLE KITS



SKU: LW-Z5010PX

Kit Includes:

- LW-Z5010PX Printer
- 2" Black on White Vinyl Cartridge (250V7BMPX)
- AC Adapter
- USB Cable
- Lithium-Ion Battery
- Value Roll Media Stand
- FREE Label Editor Software Download (Unlimited Licenses)



SKU: LW-Z5010PX-R

Kit Includes:


- LW-Z5010PX Printer
- 2" Black on White Vinyl Cartridge (250V7BMPX)
- Media Rewinder
- AC Adapter
- USB Cable
- Lithium-Ion Battery
- Value Roll Media Stand
- FREE Label Editor Software Download (Unlimited Licenses)

VALUE BULK SUPPLY



Do you have large labeling jobs? Look no further than LW-Z5010PX's efficient, economic value bulk rolls that pack 147.6 feet (45 m) of supply into one easy-to-use box.

VERSATILE CUTTING



Epson LabelWorks' LW-Z5010PX has the power to half-cut, or "kiss cut" label tape, keeping your labels all together on one convenient strand.

AUTOMATIC LABEL REWINDER



The LW-Z5010PX is compatible with Epson's label rewinder, which automatically winds labels in a convenient roll, saving tons of time rolling manually.



Check LabelWorks.Epson.com for product updates and information | See next page for tape compatibility >



See page 56 for technical specifications

STANDARD INDUSTRIAL POLYESTER TAPE - 30 ft (9 m)				
IMPRINT	TAPE	WIDTH	PART NUMBER	
Black	Clear	1/4" (6 mm)	206BCPX †	
		3/8" (9 mm)	209BCPX †	
		1/2" (12 mm)	212BCPX †	
		3/4" (18 mm)	218BCPX †	
		1" (24 mm)	224BCPX †	
		1 1/2" (36 mm)	236BCPX †	
		2" (50 mm) 26.2ft/L	250BCPX	
	Translucent Matte (limited supply)	3/4" (18 mm)	218BTMPX	
	White	1/6" (4 mm)	204BWPX	
		1/4" (6 mm)	206BWPX †	
		3/8" (9 mm)	209BWPX** †	
		1/2" (12 mm)	212BWPX** †	
		3/4" (18 mm)	218BWPX** †	
		1" (24 mm)	224BWPX** †	
		1 1/2" (36 mm)	236BWPX** †	
		2" (50 mm) 26.2ft/L	250BWPX**	
		Yellow	1/4" (6 mm)	206BYPX †
			3/8" (9 mm)	209BYPX** †
	1/2" (12 mm)		212BYPX** †	
	3/4" (18 mm)		218BYPX** †	
	1" (24 mm)		224BYPX** †	
	1 1/2" (36 mm)		236BYPX** †	
	2" (50 mm) 26.2ft/L		250BYPX**	
	Green	1/4" (6 mm)	206BGPX †	
		3/8" (9 mm)	209BGPX †	
		1/2" (12 mm)	212BGPX †	
		3/4" (18 mm)	218BGPX †	
		1" (24 mm)	224BGPX †	
		1 1/2" (36 mm)	236BGPX †	
		2" (50 mm) 26.2ft/L	250BGPX	
Blue	1/4" (6 mm)	206BBPX †		
	3/8" (9 mm)	209BBPX †		
	1/2" (12 mm)	212BBPX †		
	3/4" (18 mm)	218BBPX †		
	1" (24 mm)	224BBPX †		
	1 1/2" (36 mm)	236BBPX †		
	2" (50 mm) 26.2ft/L	250BBPX		
Red	1/4" (6 mm)	206BRPX †		
	3/8" (9 mm)	209BRPX †		
	1/2" (12 mm)	212BRPX †		
	3/4" (18 mm)	218BRPX †		
	1" (24 mm)	224BRPX †		
	1 1/2" (36 mm)	236BRPX †		
	2" (50 mm) 26.2ft/L	250BRPX		
Orange	1/2" (12 mm)	212BOPX		
	3/4" (18 mm)	218BOPX		
	1" (24 mm)	224BOPX		
	1 1/2" (36 mm)	236BOPX		
	White Removable	1/2" (12 mm)	212RAPX †	
Purple	3/4" (18 mm)	218BVPX		
Matte Silver	3/8" (9 mm)	209SMPX †		
	1/2" (12 mm)	212SMPX †		
	3/4" (18 mm)	218SMPX †		
	1" (24 mm)	224SMPX †		
	1 1/2" (36 mm)	236SMPX †		

STANDARD INDUSTRIAL POLYESTER TAPE - 30 ft (9 m)				
IMPRINT	TAPE	WIDTH	PART NUMBER	
White	Black	1/4" (6 mm)	206WBPX †	
		3/8" (9 mm)	209WBPX †	
		1/2" (12 mm)	212WBPX †	
		3/4" (18 mm)	218WBPX †	
		1" (24 mm)	224WBPX †	
		1 1/2" (36 mm)	236WBPX †	
		2" (50 mm) 26.2ft/L	250WRPX	
	Vivid Red	3/4" (18 mm)	218WRPX	
		1" (24 mm)	224WRPX	
		1 1/2" (36 mm)	236WRPX	
		Vivid Green	1/2" (12 mm)	212WGPX
			3/4" (18 mm)	218WGPX
			1" (24 mm)	224WGPX
		Vivid Blue	1/2" (12 mm)	212WLPX
			3/4" (18 mm)	218WLPX
1" (24 mm)	224WLPX			
1 1/2" (36 mm)	236WLPX			
Clear	1/2" (12 mm)	212WCPX †		
	3/4" (18 mm)	218WCPX †		
	1" (24 mm)	224WCPX †		
	1 1/2" (36 mm)	236WCPX †		
Red	White	1/2" (12 mm)	212RWPX †	
FLUORESCENT POLYESTER TAPE - 30 ft (9 m)				
Black	Fluorescent Red	3/4" (18 mm)	218FRPX	
	Fluorescent Pink		218FPX	
	Fluorescent Orange		218FOPX †	
	Fluorescent Yellow		218FYPX †	
	Fluorescent Green		218FGPX †	
VINYL TAPE - 22.9 ft (7 m)				
Black	White	1/2" (12 mm)	212VTBWPX**	
		3/4" (18 mm)	218VTBWPX**	
		1" (24 mm)	224VTBWPX**	
		1 1/2" (36 mm)	236VTBWPX**	
		2" (50 mm) 26.2ft/L	250VTBWPX**	
	Yellow	1/2" (12 mm)	212VTBYPX**	
		3/4" (18 mm)	218VTBYPX**	
		1" (24 mm)	224VTBYPX**	
		1 1/2" (36 mm)	236VTBYPX**	
		2" (50 mm) 26.2ft/L	250VTBYPX**	
VINYL SELF-LAMINATING OVERWRAP - 26.2 ft (8 m)				
Black	White	1" (24 mm), 1/4" White, 3/4" Clear Tail (26ft/L)	224VSLPX** †	
		1 1/2" (36 mm), 1/2" White, 1" Clear Tail (26ft/L)	236VSLPX** †	
EXTRA TOUGH NYLON TAPE - 19 ft (5.8 m)				
IMPRINT	TAPE	WIDTH	PART NUMBER	
Black	White	1/2" (12 mm)	212NYLBWPX †	
		3/4" (18 mm)	218NYLBWPX †	
		1" (24 mm)	224NYLBWPX †	

Wire wrap tape prints on white area and has a clear tail to overlap printed material.

It is recommended to cut nylon tape using scissors to prolong the life of your printer's built-in cutter.



MAGNETIC TAPE - 4.9 ft (1.5 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12 mm)	212MTBWPX-4.9
		3/4" (18 mm)	218MTBWPX-4.9
		1" (24 mm)	224MTBWPX-4.9
		1 1/2" (36 mm)	236MTBWPX-4.9
		2" (50 mm) 26.2ft/L	250MTBWPX-4.9
	Yellow	1/2" (12 mm)	212MTBYPX-4.9
		3/4" (18 mm)	218MTBYPX-4.9
		1" (24 mm)	224MTBYPX-4.9
		1 1/2" (36 mm)	236MTBYPX-4.9
	Red	1/2" (12 mm)	212MTBRPX-4.9
		3/4" (18 mm)	218MTBRPX-4.9
		1" (24 mm)	224MTBRPX-4.9
		1 1/2" (36 mm)	236MTBRPX-4.9
	Blue	1/2" (12 mm)	212MTBWPX-4.9
		3/4" (18 mm)	218MTBWPX-4.9
		1" (24 mm)	224MTBWPX-4.9
		1 1/2" (36 mm)	236MTBWPX-4.9
	Green	1/2" (12 mm)	212MTBGPX-4.9
3/4" (18 mm)		218MTBGPX-4.9	
1" (24 mm)		224MTBGPX-4.9	
1 1/2" (36 mm)		236MTBGPX-4.9	
2" (50 mm) 26.2ft/L		250MTBGPX-4.9	

It is recommended to cut magnetic tape using scissors to prolong the life of your printer's built-in cutter.

STANDARD INDUSTRIAL POLYESTER TAPE - 147.6 ft (45 m)					
IMPRINT	TAPE	WIDTH	PART NUMBER		
Black	White	3/8" (9 mm)	B209BWPX*		
		1/2" (12 mm)	B212BWPX*		
		3/4" (18 mm)	B218BWPX*		
		1" (24 mm)	B224BWPX*		
		1 1/2" (36 mm)	B236BWPX*		
		2" (50 mm)	B250BWPX*		
		3/8" (9 mm)	B209BYPX*		
	Yellow	1/2" (12 mm)	B212BYPX*		
		3/4" (18 mm)	B218BYPX*		
		1" (24 mm)	B224BYPX*		
		1 1/2" (36 mm)	B236BYPX*		
		2" (50 mm)	B250BYPX*		
		VINYL TAPE - 147.6 ft (45 m)			
		Black	White	1/2" (12 mm)	B212VTBWPX*
3/4" (18 mm)	B218VTBWPX*				
1" (24 mm)	B224VTBWPX*				
1 1/2" (36 mm)	B236VTBWPX*				
2" (50 mm)	B250VTBWPX*				
Yellow	1/2" (12 mm)		B212VTBYPX*		
	3/4" (18 mm)		B218VTBYPX*		
	1" (24 mm)		B224VTBYPX*		
	1 1/2" (36 mm)		B236VTBYPX*		
	2" (50 mm)		B250VTBYPX*		

CONTINUOUS VINYL SELF-LAMINATING OVERWRAP - 147.6 ft (45 m)			
IMPRINT	TAPE	NOMINAL DIAMETER	PART NUMBER
Black	White	1" (24 mm)	B224VSLPX* †
		1 1/2" (36 mm)	B236VSLPX* †

Wire wrap tape prints on white area and has a clear tail to overlap printed material.

HEAT SHRINK TUBE - 98 in (2.4 m)					
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER
Black	Red	3/16" (4 mm)	8-12	2:1	205STBRPX
		1/2" (12 mm)	2-8	2:1	211STBRPX
	Yellow	1/8" (3 mm)	14-22	3:1	203B20BYPX**
		3/16" (4 mm)	8-12	2:1	205STBYPX
		1/4" (6 mm)	6-18	3:1	208B20BYPX**
		1/2" (12 mm)	2-8	2:1	211STBYPX
		7/8" (22 mm)	0000-1	2:1	221STBYPX
	White	1/8" (3 mm)	14-22	3:1	203B20BWPX**
		3/16" (4 mm)	8-12	2:1	205STBWPX
		1/4" (6 mm)	6-18	3:1	208B20BWPX**
		3/8" (9 mm) 90in/L	4-12	3:1	210STBWPX-90
		1/2" (12 mm)	2-8	2:1	211STBWPX
		9/16" (14 mm)	0-5	2:1	214STBWPX
		7/8" (22 mm)	0000-1	2:1	221STBWPX
Blue	3/16" (4 mm)	10-18	3:1	205YLBWPX	
White	Black	3/16" (4 mm)	8-12	2:1	205STWBPX
		1/2" (12 mm)	2-8	2:1	211STWBPX

Compliance Standards: UL Standard 224 (Related Temperature: 125°C, Rated Voltage: 300V, Flame Resistance Grade VW-1). It is recommended to cut heat shrink tube using scissors to prolong the life of your printer's built-in cutter.

STRONG ADHESIVE POLYESTER TAPE - 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	3/8" (9 mm)	209IBWPX †
		1/2" (12 mm)	212IBWPX †
		3/4" (18 mm)	218IBWPX †
		1" (24 mm)	224IBWPX †
		1 1/2" (36 mm)	236IBWPX †
	Yellow	2" (50 mm)	250IBWPX
		3/8" (9 mm)	209IBYPX †
		1/2" (12 mm)	212IBYPX †
		3/4" (18 mm)	218IBYPX †
		1" (24 mm)	224IBYPX †
Gold	Clear	1/2" (12 mm)	212GCPX †
	Black	1/2" (12 mm)	212GBPX

CONTINUOUS HEAT SHRINK TUBE - 49.2 ft (15 m)					
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER
Black	White	1/8" (3 mm)	14-22	3:1	B203STBWPX*
		1/4" (6 mm)	6-18	3:1	B208STBWPX*
	Yellow	1/8" (3 mm)	14-22	3:1	B203STBYPX
		1/4" (6 mm)	6-18	3:1	B208STBYPX
DIE-CUT HEAT SHRINK TUBE					
Black	White	1/8"x .98" (3 mm x 25 mm) ea 500 tubes/roll	14-22	3:1	BL203STBW25PX
	Yellow	1/8"x .98" (3 mm x 25 mm) ea 500 tubes/roll	14-22	3:1	BL203STBY25PX
	White	1/4"x1.38" (6 mm x 35 mm) ea 400 tubes/roll	6-18	3:1	BL208STBW35PX
	Yellow	1/4"x1.38" (6 mm x 35 mm) ea 400 tubes/roll	6-18	3:1	BL208STBY35PX

DIE-CUT VINYL SELF-LAMINATING OVERWRAP			
IMPRINT	TAPE	NOMINAL DIAMETER	PART NUMBER
Black	White	.5"x.75" (13 mm x 19 mm) ea 2700 labels/roll	BVSL13X19PX
		.5"x1.5" (13 mm x 38 mm) ea 2700 labels/roll	BVSL13X38PX
		1"x1.5" (25 mm x 38 mm) ea 1500 labels/roll	BVSL25X38PX
		1.5"x1.5" (38 mm x 38 mm) ea 1000 labels/roll	BVSL38X38PX


Wire wrap tape prints on white area and has a clear tail to overlap printed material.

* INDICATES THAT SUPPLY IS ALSO AVAILABLE IN STANDARD CARTRIDGES
 ** INDICATES THAT SUPPLY IS ALSO AVAILABLE IN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
 † INDICATES THAT SUPPLY HAS SPLIT-BACK LINING

LW-Z5000PX




VARIETY OF LABELING SUPPLIES



LW-Z5000PX prints on every label supply and size that Epson LabelWorks has to offer. From 1/6" (4 mm) to 2" (50 mm), we have the size to fit your labeling needs.

POWERFUL DESIGN SOFTWARE



Create stunning, professional, customized labels using Epson's Label Editor Software. This powerful, intuitive label design software will make batch printing easy by loading spreadsheets, and comes loaded with hundreds of icons, symbols, and templates.

SCANNABLE LABELS



Easily Create Bar Codes and QR Codes, using Label Editor Software, or Label Editor Mobile App!

AVAILABLE KITS



SKU: LW-Z5000PX

Kit Includes:

- LW-Z5000PX Printer
- 2" Black on White Vinyl Cartridge (250VTBWPX)
- AC Adapter
- USB Cable
- Value Roll Media Stand
- FREE Label Editor Software Download (Unlimited Licenses)



SKU: LW-Z5000PX-R


Kit Includes:

- LW-Z5000PX Printer
- 2" Black on White Vinyl Cartridge (250VTBWPX)
- Media Rewinder (250VTBWPX)
- AC Adapter
- USB Cable
- Value Roll Media Stand
- FREE Label Editor Software Download (Unlimited Licenses)



Do you have large labeling jobs? Look no further than LW-Z5000PX's efficient, economic value bulk rolls that pack 147.6 feet (45 m) of supply into one easy-to-use box.

VERSATILE CUTTING



Epson LabelWorks' LW-Z5000PX has the power to half-cut, or "kiss cut" label tape, keeping your labels all together on one convenient strand.

AUTOMATIC LABEL REWINDER




The LW-Z5000PX is compatible with Epson's label rewinder, which automatically winds labels in a convenient roll, saving tons of time rolling manually.



Check LabelWorks.Epson.com for product updates and information | See next page for tape compatibility >



See page 56 for technical specifications



STANDARD INDUSTRIAL POLYESTER TAPE - 30 ft (9 m)				
IMPRINT	TAPE	WIDTH	PART NUMBER	
Black	Clear	1/4" (6 mm)	206BCPX †	
		3/8" (9 mm)	209BCPX †	
		1/2" (12 mm)	212BCPX †	
		3/4" (18 mm)	218BCPX †	
		1" (24 mm)	224BCPX †	
		1 1/2" (36 mm)	236BCPX †	
		2" (50 mm) 26.2ft/L	250BCPX	
	Translucent Matte (limited supply)	3/4" (18 mm)	218BTMPX	
		White	1/6" (4 mm)	204BWPX
	White	1/4" (6 mm)	206BWPX †	
		3/8" (9 mm)	209BWPX** †	
		1/2" (12 mm)	212BWPX** †	
		3/4" (18 mm)	218BWPX** †	
		1" (24 mm)	224BWPX** †	
		1 1/2" (36 mm)	236BWPX** †	
		2" (50 mm) 26.2ft/L	250BWPX**	
		Yellow	1/4" (6 mm)	206BYPX †
			3/8" (9 mm)	209BYPX** †
			1/2" (12 mm)	212BYPX** †
	3/4" (18 mm)		218BYPX** †	
1" (24 mm)	224BYPX** †			
Green	1/4" (6 mm)	206BGPX †		
	3/8" (9 mm)	209BGPX †		
	1/2" (12 mm)	212BGPX †		
	3/4" (18 mm)	218BGPX †		
	1" (24 mm)	224BGPX †		
Blue	1/4" (6 mm)	206BBPX †		
	3/8" (9 mm)	209BBPX †		
	1/2" (12 mm)	212BBPX †		
	3/4" (18 mm)	218BBPX †		
	1" (24 mm)	224BBPX †		
Red	1/4" (6 mm)	206BRPX †		
	3/8" (9 mm)	209BRPX †		
	1/2" (12 mm)	212BRPX †		
	3/4" (18 mm)	218BRPX †		
	1" (24 mm)	224BRPX †		
Orange	1/4" (6 mm)	206BOPX		
	3/8" (9 mm)	209BOPX		
	1/2" (12 mm)	212BOPX		
	3/4" (18 mm)	218BOPX		
	1" (24 mm)	224BOPX		
White Removable	1/2" (12 mm)	212RAPX †		
	3/4" (18 mm)	218RVPX		
Purple	3/8" (9 mm)	209SMPX †		
	1/2" (12 mm)	212SMPX †		
Matte Silver	3/4" (18 mm)	218SMPX †		
	1" (24 mm)	224SMPX †		
	1 1/2" (36 mm)	236SMPX †		

STANDARD INDUSTRIAL POLYESTER TAPE - 30 ft (9 m)				
IMPRINT	TAPE	WIDTH	PART NUMBER	
White	Black	1/4" (6 mm)	206WBPX †	
		3/8" (9 mm)	209WBPX †	
		1/2" (12 mm)	212WBPX †	
		3/4" (18 mm)	218WBPX †	
		1" (24 mm)	224WBPX †	
		1 1/2" (36 mm)	236WBPX †	
		2" (50 mm) 26.2ft/L	250WBPX	
	Vivid Red	1/2" (12 mm)	212WRPX	
		3/4" (18 mm)	218WRPX	
		1" (24 mm)	224WRPX	
		1 1/2" (36 mm)	236WRPX	
		Vivid Green	1/2" (12 mm)	212WGPX
			3/4" (18 mm)	218WGPX
			1" (24 mm)	224WGPX
		Vivid Blue	1/2" (12 mm)	212WLPX
3/4" (18 mm)	218WLPX			
1" (24 mm)	224WLPX			
1 1/2" (36 mm)	236WLPX			
Clear	1/2" (12 mm)	212WCPX †		
	3/4" (18 mm)	218WCPX †		
	1" (24 mm)	224WCPX †		
Red	White	1/2" (12 mm)	212RWPX †	
FLUORESCENT POLYESTER TAPE - 30 ft (9 m)				
Black	Fluorescent Red	3/4" (18 mm)	218FRPX	
	Fluorescent Pink	3/4" (18 mm)	218FPPX	
	Fluorescent Orange	3/4" (18 mm)	218FOPX †	
	Fluorescent Yellow	3/4" (18 mm)	218FYPX †	
	Fluorescent Green	3/4" (18 mm)	218FGPX †	
VINYL TAPE - 22.9 ft (7 m)				
Black	White	1/2" (12 mm)	212VTBWPX**	
		3/4" (18 mm)	218VTBWPX**	
		1" (24 mm)	224VTBWPX**	
		1 1/2" (36 mm)	236VTBWPX**	
		2" (50 mm) 26.2"/L	250VTBWPX**	
	Yellow	1/2" (12 mm)	212VTBYPX**	
		3/4" (18 mm)	218VTBYPX**	
		1" (24 mm)	224VTBYPX**	
		1 1/2" (36 mm)	236VTBYPX**	
		2" (50 mm) 26.2ft/L	250VTBYPX**	
VINYL SELF-LAMINATING OVERWRAP - 26.2 ft (8 m)				
Black	White	1" (24 mm), 1/4" White, 3/4" Clear Tail (26ft/L)	224VSLPX** †	
		1 1/2" (36 mm), 1/2" White, 1" Clear Tail (26ft/L)	236VSLPX** †	
EXTRA TOUGH NYLON TAPE - 19 ft (5.8 m)				
IMPRINT	TAPE	WIDTH	PART NUMBER	
Black	White	1/2" (12 mm)	212NYLBWPX †	
		3/4" (18 mm)	218NYLBWPX †	
		1" (24 mm)	224NYLBWPX †	

Wire wrap tape prints on white area and has a clear tail to overlap printed material.

It is recommended to cut nylon tape using scissors to prolong the life of your printer's built-in cutter.



MAGNETIC TAPE - 4.9ft (1.5m)				
IMPRINT	TAPE	WIDTH	PART NUMBER	
Black	White	1/2" (12mm)	212MTBWPX-4.9	
		3/4" (18mm)	218MTBWPX-4.9	
		1" (24mm)	224MTBWPX-4.9	
		1 1/2" (36mm)	236MTBWPX-4.9	
		2" (50mm) 26.2ft/L	250MTBWPX-4.9	
	Yellow	1/2" (12mm)	212MTBYPX-4.9	
		3/4" (18mm)	218MTBYPX-4.9	
		1" (24mm)	224MTBYPX-4.9	
		1 1/2" (36mm)	236MTBYPX-4.9	
		2" (50mm) 26.2ft/L	250MTBYPX-4.9	
	Red	1/2" (12mm)	212MTBRPX-4.9	
		3/4" (18mm)	218MTBRPX-4.9	
		1" (24mm)	224MTBRPX-4.9	
		1 1/2" (36mm)	236MTBRPX-4.9	
		2" (50mm) 26.2ft/L	250MTBRPX-4.9	
Blue	1/2" (12mm)	212MTBBPX-4.9		
	3/4" (18mm)	218MTBBPX-4.9		
	1" (24mm)	224MTBBPX-4.9		
	1 1/2" (36mm)	236MTBBPX-4.9		
	2" (50mm) 26.2ft/L	250MTBBPX-4.9		
Green	1/2" (12mm)	212MTBGPX-4.9		
	3/4" (18mm)	218MTBGPX-4.9		
	1" (24mm)	224MTBGPX-4.9		
	1 1/2" (36mm)	236MTBGPX-4.9		
	2" (50mm) 26.2ft/L	250MTBGPX-4.9		
STANDARD INDUSTRIAL POLYESTER TAPE - 147.6 ft (45 m)				
IMPRINT	TAPE	WIDTH	PART NUMBER	
Black	White	3/8" (9 mm)	B209BWPX*	
		1/2" (12 mm)	B212BWPX*	
		3/4" (18 mm)	B218BWPX*	
		1" (24 mm)	B224BWPX*	
		1 1/2" (36 mm)	B236BWPX*	
		2" (50 mm)	B250BWPX*	
		Yellow	3/8" (9 mm)	B209BYPX*
			1/2" (12 mm)	B212BYPX*
			3/4" (18 mm)	B218BYPX*
			1" (24 mm)	B224BYPX*
	1 1/2" (36 mm)		B236BYPX*	
	Black	Yellow	2" (50 mm)	B250BYPX*
			1/2" (12 mm)	B212VTBWPX*
			3/4" (18 mm)	B218VTBWPX*
			1" (24 mm)	B224VTBWPX*
1 1/2" (36 mm)			B236VTBWPX*	
VINYL TAPE - 147.6 ft (45 m)				
IMPRINT	TAPE	WIDTH	PART NUMBER	
Black	White	1/2" (12 mm)	B212VTBWPX*	
		3/4" (18 mm)	B218VTBWPX*	
		1" (24 mm)	B224VTBWPX*	
		1 1/2" (36 mm)	B236VTBWPX*	
		2" (50 mm)	B250VTBWPX*	
	Yellow	1/2" (12 mm)	B212VTBYPX*	
		3/4" (18 mm)	B218VTBYPX*	
		1" (24 mm)	B224VTBYPX*	
		1 1/2" (36 mm)	B236VTBYPX*	
		2" (50 mm)	B250VTBYPX*	
CONTINUOUS VINYL SELF-LAMINATING OVERWRAP - 147.6 ft (45 m)				
IMPRINT	TAPE	NOMINAL DIAMETER	PART NUMBER	
Black	White	1" (24 mm)	B224VSLPX* †	
		1 1/2" (36 mm)	B236VSLPX* †	

It is recommended to cut magnetic tape using scissors to prolong the life of your printer's built-in cutter.

HEAT SHRINK TUBE - 98in (2.4m)						
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER	
Black	Red	3/16" (4mm)	8-12	2:1	2055TBRPX	
		1/2" (12mm)	2-8	2:1	2115TBRPX	
	Yellow	1/8" (3mm)	14-22	3:1	203820BYPX**	
		3/16" (4mm)	8-12	2:1	2055TBYPX	
		1/4" (6mm)	6-18	3:1	208820BYPX**	
		1/2" (12mm)	2-8	2:1	2115TBYPX	
		7/8" (22mm)	0000-1	2:1	2215TBYPX	
		1" (24mm)	14-22	3:1	203820BWPX**	
	White	White	3/16" (4mm)	8-12	2:1	2055TBWPX
			1/4" (6mm)	6-18	3:1	208820BWPX**
3/8" (9 mm) 90in/L			4-12	3:1	2105TBWPX-90	
1/2" (12mm)			2-8	2:1	2115TBWPX	
9/16" (14mm)			0-5	2:1	2145TBWPX	
7/8" (22mm)			0000-1	2:1	2215TBWPX	
1" (24mm)			14-22	3:1	2055TLBWPX	
White	Black	3/16" (4mm)	8-12	2:1	2055TWBPX	
		1/2" (12mm)	2-8	2:1	2115TWBPX	
STRONG ADHESIVE POLYESTER TAPE - 30 ft (9 m)						
IMPRINT	TAPE	WIDTH	PART NUMBER			
Black	White	3/8" (9 mm)	2091BWPX †			
		1/2" (12 mm)	2121BWPX †			
		3/4" (18 mm)	2181BWPX †			
		1" (24 mm)	2241BWPX †			
		1 1/2" (36 mm)	2361BWPX †			
	Yellow	3/8" (9 mm)	2091BYPX †			
		1/2" (12 mm)	2121BYPX †			
		3/4" (18 mm)	2181BYPX †			
		1" (24 mm)	2241BYPX †			
		1 1/2" (36 mm)	2361BYPX †			
Gold	Clear	1/2" (12 mm)	2121GCPX †			
		1/2" (12 mm)	2121GBPX			
CONTINUOUS HEAT SHRINK TUBE - 49.2 ft (15 m)						
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER	
Black	White	1/8" (3 mm)	14-22	3:1	B203STBWPX*	
		1/4" (6 mm)	6-18	3:1	B208STBWPX*	
	Yellow	1/8" (3 mm)	14-22	3:1	B203STBYPX	
		1/4" (6 mm)	6-18	3:1	B208STBYPX	
DIE-CUT HEAT SHRINK TUBE						
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER	
Black	White	1/8"x.98" (3 mm x 25 mm) ea 500 tubes/roll	14-22	3:1	BL203STBW25PX	
		1/4"x1.38" (6 mm x 35 mm) ea 400 tubes/roll	6-18	3:1	BL208STBW35PX	
	Yellow	1/8"x.98" (3 mm x 25 mm) ea 500 tubes/roll	14-22	3:1	BL203STBY25PX	
		1/4"x1.38" (6 mm x 35 mm) ea 400 tubes/roll	6-18	3:1	BL208STBY35PX	
DIE-CUT VINYL SELF-LAMINATING OVERWRAP						
IMPRINT	TAPE	NOMINAL DIAMETER	PART NUMBER			
Black	White	.5"x.75" (13 mm x 19 mm) ea 2700 labels/roll	BVSL13X19PX			
		.5"x1.5" (13 mm x 38 mm) ea 2700 labels/roll	BVSL13X38PX			
		1"x1.5" (25 mm x 38 mm) ea 1500 labels/roll	BVSL25X38PX			
		1.5"x1.5" (38 mm x 38 mm) ea 1000 labels/roll	BVSL38X38PX			

Wire wrap tape prints on white area and has a clear tail to overlap printed material.

* INDICATES THAT SUPPLY IS ALSO AVAILABLE IN STANDARD CARTRIDGES
 ** INDICATES THAT SUPPLY IS ALSO AVAILABLE IN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
 † INDICATES THAT SUPPLY HAS SPLIT-BACK LINING

LW-PX900




POWERFUL DESIGN SOFTWARE




LW-PX900 works great as a stand-alone unit, or connected to a PC, using Epson's Label Editor Software. Create professional, custom labels that stand out either way!

AUTOMATED LABELING PROJECTS



Industrial hot keys simplify and automate complicated labeling projects, and speed up productivity. Choose from many wire marking applications like patch panels and punch block.

VERSATILE CUTTING



Epson LabelWorks' LW-PX900 has the power to half-cut or "kiss cut" label tape, keeping your labels all together on one convenient strand.

REDUCED TAPE WASTE



LW-PX900 can produce the tightest labels in the business, reducing tape waste with every label printed. The printer pulls the tape tail back into the cartridge prior to print to minimize leading margins to as short as 4mm, much smaller than many competitors' margins that can exceed 1 inch.

SCANNABLE LABELING



LW-PX900 can produce bar codes and QR Codes using the stand-alone unit, or connected to a PC.

AVAILABLE KITS



SKU: LW-PX900

Kit Includes:

- LW-PX900 Printer
- ½" Black on White Polyester Cartridge (212BWPX)
- AC Adapter
- FREE Label Editor Software Download (Unlimited Licenses)



SKU: LW-PX900PCD

Kit Includes:

- LW-PX900 Printer
- ½" Black on White VINYL Cartridge (212VTBWPX)
- AC Adapter
- USB Cable
- Lithium-Ion Battery
- Magnetic Attachments
- Heavy-Duty Plastic Case
- FREE Label Editor Software Download (Unlimited Licenses)

Check LabelWorks.Epson.com for product updates and information | See next page for tape compatibility >



See page 57 for technical specifications

STANDARD INDUSTRIAL POLYESTER TAPE - 30 ft (9 m)				
IMPRINT	TAPE	WIDTH	PART NUMBER	
Black	Clear	1/4" (6 mm)	206BCPX †	
		3/8" (9 mm)	209BCPX †	
		1/2" (12 mm)	212BCPX †	
		3/4" (18 mm)	218BCPX †	
		1" (24 mm)	224BCPX †	
		1 1/2" (36 mm)	236BCPX †	
	Translucent Matte (limited supply)	3/4" (18 mm)	218BTMPX	
	White	1/6" (4 mm)	204BWPX	
		1/4" (6 mm)	206BWPX †	
		3/8" (9 mm)	209BWPX** †	
		1/2" (12 mm)	212BWPX** †	
		3/4" (18 mm)	218BWPX** †	
		1" (24 mm)	224BWPX** †	
		1 1/2" (36 mm)	236BWPX** †	
		Yellow	1/4" (6 mm)	206BYPX †
			3/8" (9 mm)	209BYPX** †
			1/2" (12 mm)	212BYPX** †
	3/4" (18 mm)		218BYPX** †	
	1" (24 mm)		224BYPX** †	
	1 1/2" (36 mm)		236BYPX** †	
	Green	1/4" (6 mm)	206BGPX †	
		3/8" (9 mm)	209BGPX †	
		1/2" (12 mm)	212BGPX †	
		3/4" (18 mm)	218BGPX †	
		1" (24 mm)	224BGPX †	
		1 1/2" (36 mm)	236BGPX †	
	Blue	1/4" (6 mm)	206BBPX †	
		3/8" (9 mm)	209BBPX †	
		1/2" (12 mm)	212BBPX †	
		3/4" (18 mm)	218BBPX †	
		1" (24 mm)	224BBPX †	
		1 1/2" (36 mm)	236BBPX †	
	Red	1/4" (6 mm)	206BRPX †	
		3/8" (9 mm)	209BRPX †	
		1/2" (12 mm)	212BRPX †	
		3/4" (18 mm)	218BRPX †	
		1" (24 mm)	224BRPX †	
		1 1/2" (36 mm)	236BRPX †	
	Orange	1/2" (12 mm)	212BOPX	
		3/4" (18 mm)	218BOPX	
1" (24 mm)		224BOPX		
White Removable	1/2" (12 mm)	212RAPX †		
Purple	3/4" (18 mm)	218BVPX		
Matte Silver	3/8" (9 mm)	209SMPX †		
	1/2" (12 mm)	212SMPX †		
	3/4" (18 mm)	218SMPX †		
	1" (24 mm)	224SMPX †		
	1 1/2" (36 mm)	236SMPX †		

STANDARD INDUSTRIAL POLYESTER TAPE - 30 ft (9 m)				
IMPRINT	TAPE	WIDTH	PART NUMBER	
White	Black	1/4" (6 mm)	206WBPX †	
		3/8" (9 mm)	209WBPX †	
		1/2" (12 mm)	212WBPX †	
		3/4" (18 mm)	218WBPX †	
		1" (24 mm)	224WBPX †	
		1 1/2" (36 mm)	236WBPX †	
	Vivid Red	1/2" (12 mm)	212WRPX	
		3/4" (18 mm)	218WRPX	
		1" (24 mm)	224WRPX	
		1 1/2" (36 mm)	236WRPX	
		Vivid Green	1/2" (12 mm)	212WGPX
			3/4" (18 mm)	218WGPX
	Vivid Blue	1" (24 mm)	224WGPX	
		1/2" (12 mm)	212WLPX	
		3/4" (18 mm)	218WLPX	
		1" (24 mm)	224WLPX	
		1 1/2" (36 mm)	236WLPX	
		Clear	1/2" (12 mm)	212WCPX †
	3/4" (18 mm)		218WCPX †	
		1" (24 mm)	224WCPX †	
Red	White	1/2" (12 mm)	212RWPX †	



STRONG ADHESIVE POLYESTER TAPE - 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	3/8" (9 mm)	209IBWPX †
		1/2" (12 mm)	212IBWPX †
		3/4" (18 mm)	218IBWPX †
		1" (24 mm)	224IBWPX †
		1 1/2" (36 mm)	236IBWPX †
		3/8" (9 mm)	209IBYPX †
	Yellow	1/2" (12 mm)	212IBYPX †
		3/4" (18 mm)	218IBYPX †
		1" (24 mm)	224IBYPX †
		1 1/2" (36 mm)	236IBYPX †
Gold	Clear	1/2" (12 mm)	212GCPX †
	Black	1/2" (12 mm)	212GBPX

FLUORESCENT POLYESTER TAPE - 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Fluorescent Red	3/4" (18 mm)	218FRPX
	Fluorescent Pink		218FPPX
	Fluorescent Orange		218FOPX †
	Fluorescent Yellow		218FYPX †
	Fluorescent Green		218FGPX †

VINYL TAPE - 22.9 ft (7 m)				
IMPRINT	TAPE	WIDTH	PART NUMBER	
Black	White	1/2" (12 mm)	212VTBWPX**	
		3/4" (18 mm)	218VTBWPX**	
		1" (24 mm)	224VTBWPX**	
		1 1/2" (36 mm)	236VTBWPX**	
		Yellow	1/2" (12 mm)	212VTBYPX**
			3/4" (18 mm)	218VTBYPX**
	1" (24 mm)		224VTBYPX**	
	1 1/2" (36 mm)		236VTBYPX**	

VINYL SELF-LAMINATING OVERWRAP - 26.2 ft (8 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1" (24 mm), 1/4" White, 3/4" Clear Tail (26ft/L)	224VSLPX** †
		1 1/2" (36 mm), 1/2" White, 1" Clear Tail (26ft/L)	236VSLPX** †

Wire wrap tape prints on white area and has a clear tail to overlap printed material.

EXTRA TOUGH NYLON TAPE - 19 ft (5.8 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12 mm)	212NYLBWPX †
		3/4" (18 mm)	218NYLBWPX †
		1" (24 mm)	224NYLBWPX †

It is recommended to cut nylon tape using scissors to prolong the life of your printer's built-in cutter.

MAGNETIC TAPE - 4.9 ft (1.5 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12 mm)	212MTBWPX-4.9
		3/4" (18 mm)	218MTBWPX-4.9
		1" (24 mm)	224MTBWPX-4.9
		1 1/2" (36 mm)	236MTBWPX-4.9
	Yellow	1/2" (12 mm)	212MTBYPX-4.9
		3/4" (18 mm)	218MTBYPX-4.9
		1" (24 mm)	224MTBYPX-4.9
		1 1/2" (36 mm)	236MTBYPX-4.9
	Red	1/2" (12 mm)	212MTBRPX-4.9
		3/4" (18 mm)	218MTBRPX-4.9
		1" (24 mm)	224MTBRPX-4.9
		1 1/2" (36 mm)	236MTBRPX-4.9
	Blue	1/2" (12 mm)	212MTBWPX-4.9
		3/4" (18 mm)	218MTBWPX-4.9
		1" (24 mm)	224MTBWPX-4.9
		1 1/2" (36 mm)	236MTBWPX-4.9
	Green	1/2" (12 mm)	212MTBGPX-4.9
		3/4" (18 mm)	218MTBGPX-4.9
		1" (24 mm)	224MTBGPX-4.9
		1 1/2" (36 mm)	236MTBGPX-4.9

It is recommended to cut magnetic tape using scissors to prolong the life of your printer's built-in cutter.

HEAT SHRINK TUBE - 98 in (2.4 m)						
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER	
Black	Red	3/16" (4 mm)	8-12	2:1	205STBRPX	
		1/2" (12 mm)	2-8	2:1	211STBRPX	
	Yellow	1/8" (3 mm)	14-22	3:1	203B20BYPX**	
		3/16" (4mm)	8-12	2:1	205STBYPX	
		1/4" (6 mm)	6-18	3:1	208B20BYPX**	
		1/2" (12 mm)	2-8	2:1	211STBYPX	
		7/8" (22 mm)	0000-1	2:1	221STBYPX	
		1" (24 mm)	2-8	2:1	211STBYPX	
	White	1/8" (3 mm)	14-22	3:1	203B20BWPX**	
		3/16" (4 mm)	8-12	2:1	205STBWPX	
		1/4" (6 mm)	6-18	3:1	208B20BWPX**	
		3/8" (9 mm) 90in/L	4-12	3:1	210STBWPX-90	
		1/2" (12 mm)	2-8	2:1	211STBWPX	
		9/16" (14 mm)	0-5	2:1	214STBWPX	
		7/8" (22 mm)	0000-1	2:1	221STBWPX	
		1" (24 mm)	2-8	2:1	211STBWPX	
	Blue	3/16" (4 mm)	10-18	3:1	205YLBWPX	
		3/16" (4 mm)	8-12	2:1	205STBWPX	
	White	Black	3/16" (4 mm)	8-12	2:1	205STBWPX
			1/2" (12 mm)	2-8	2:1	211STBWPX

Compliance Standards: UL Standard 224 (Related Temperature: 125° C, Rated Voltage: 300V, Flame Resistance Grade VW-1). It is recommended to cut heat shrink tube using scissors to prolong the life of your printer's built-in cutter.

* INDICATES THAT SUPPLY IS ALSO AVAILABLE IN STANDARD CARTRIDGES
 ** INDICATES THAT SUPPLY IS ALSO AVAILABLE IN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
 † INDICATES THAT SUPPLY HAS SPLIT-BACK LINING

LW-PX800



POWERFUL DESIGN SOFTWARE




LW-PX800 is driven by Label Editor Software (PC), Label Editor Lite (Mac) and Label Editor Mobile App, and prints a crisp, clear 360 dpi resolution for professionally designed labels. These applications make for a powerful little printer.

TRIMMABLE CORNERS




Give your labels a longer life by rounding the corners. Prevent snags and peeling by using LW-PX800's built-in corner trimmer.

VERSATILE CUTTING



Epson LabelWorks' LW-PX800 has the power to half-cut, or "kiss cut" label tape, keeping your labels all together on one convenient strand.

VARIETY OF LABELING SUPPLIES



Print on all PX industrial materials with LW-PX800. Heat Shrink Tube, Magnetic, Vinyl, Nylon, and Polyester up to 1-1/2" (36 mm).

AVAILABLE KITS



SKU: LW-PX800

Kit Includes:

- LW-PX800 Printer
- 1/2" Black on White Cartridge
- AC Adapter (212BWPX)
- USB Cable
- FREE Label Editor Software Download (Unlimited Licenses)

MULTIPLE USER CAPABILITIES



Multiple labelers in your facility? No problem! LW-PX800 can be networked to multiple users through wired LAN or a wireless LAN network.

LARGE BATCH LABELING



Connect LW-PX800 to either Epson's Label Editor Software OR Label Editor Mobile App to print labels directly from a spreadsheet. Press print once to print hundreds of labels in random order, sequenced, with icons or images-- the possibilities are endless.

SCANNABLE LABEL



Easily Create Bar Codes and QR Codes using Label Editor Software, Label Editor Lite (Mac) or Label Editor Mobile App!

Check LabelWorks.Epson.com for product updates and information | See next page for tape compatibility >



See page 57 for technical specifications



STANDARD INDUSTRIAL POLYESTER TAPE - 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Clear	1/4" (6 mm)	206BCPX †
		3/8" (9 mm)	209BCPX †
		1/2" (12 mm)	212BCPX †
		3/4" (18 mm)	218BCPX †
		1" (24 mm)	224BCPX †
		1 1/2" (36 mm)	236BCPX †
	Translucent Matte (limited supply)	3/4" (18 mm)	218BTMPX
	White	1/6" (4 mm)	204BWPX
		1/4" (6 mm)	206BWPX †
		3/8" (9 mm)	209BWPX**†
		1/2" (12 mm)	212BWPX**†
		3/4" (18 mm)	218BWPX**†
		1" (24 mm)	224BWPX**†
		1 1/2" (36 mm)	236BWPX**†
		Yellow	1/4" (6 mm)
	3/8" (9 mm)		209BYPX**†
	1/2" (12 mm)		212BYPX**†
	3/4" (18 mm)		218BYPX**†
	1" (24 mm)		224BYPX**†
	1 1/2" (36 mm)		236BYPX**†
	Green	1/4" (6 mm)	206BGPX †
		3/8" (9 mm)	209BGPX †
		1/2" (12 mm)	212BGPX †
		3/4" (18 mm)	218BGPX †
		1" (24 mm)	224BGPX †
		1 1/2" (36 mm)	236BGPX †
	Blue	1/4" (6 mm)	206BBPX †
		3/8" (9 mm)	209BBPX †
		1/2" (12 mm)	212BBPX †
		3/4" (18 mm)	218BBPX †
		1" (24 mm)	224BBPX †
		1 1/2" (36 mm)	236BBPX †
	Red	1/4" (6 mm)	206BRPX †
		3/8" (9 mm)	209BRPX †
		1/2" (12 mm)	212BRPX †
		3/4" (18 mm)	218BRPX †
1" (24 mm)		224BRPX †	
1 1/2" (36 mm)		236BRPX †	
Orange	1/2" (12 mm)	212BOPX	
	3/4" (18 mm)	218BOPX	
	1" (24 mm)	224BOPX	
White Removable	1/2" (12 mm)	212RAPX †	
Purple	3/4" (18 mm)	218BVPX	
Matte Silver	3/8" (9 mm)	209SMPX †	
	1/2" (12 mm)	212SMPX †	
	3/4" (18 mm)	218SMPX †	
	1" (24 mm)	224SMPX †	
	1 1/2" (36 mm)	236SMPX †	

STANDARD INDUSTRIAL POLYESTER TAPE - 30 ft (9 m)				
IMPRINT	TAPE	WIDTH	PART NUMBER	
White	Black	1/4" (6 mm)	206WBPX †	
		3/8" (9 mm)	209WBPX †	
		1/2" (12 mm)	212WBPX †	
		3/4" (18 mm)	218WBPX †	
		1" (24 mm)	224WBPX †	
		1 1/2" (36 mm)	236WBPX †	
	Vivid Red	1/2" (12 mm)	212WRPX	
		3/4" (18 mm)	218WRPX	
		1" (24 mm)	224WRPX	
		1 1/2" (36 mm)	236WRPX	
		Vivid Green	1/2" (12 mm)	212WGPX
			3/4" (18 mm)	218WGPX
	Vivid Blue	1/2" (12 mm)	212WLPX	
		3/4" (18 mm)	218WLPX	
	Clear	1/2" (12 mm)	212WCPX †	
		3/4" (18 mm)	218WCPX †	
		1" (24 mm)	224WCPX †	
		1 1/2" (36 mm)	236WCPX †	
Red	White	1/2" (12 mm)	212RWPX †	



FLUORESCENT POLYESTER TAPE - 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Fluorescent Red	3/4" (18 mm)	218FRPX
	Fluorescent Pink		218FPPX
	Fluorescent Orange		218FOPX †
	Fluorescent Yellow		218FYPX †
	Fluorescent Green		218FGPX †

STRONG ADHESIVE POLYESTER TAPE - 30 ft (9 m)				
IMPRINT	TAPE	WIDTH	PART NUMBER	
Black	White	3/8" (9 mm)	209IBWPX †	
		1/2" (12 mm)	212IBWPX †	
		3/4" (18 mm)	218IBWPX †	
		1" (24 mm)	224IBWPX †	
		1 1/2" (36 mm)	236IBWPX †	
		Yellow	3/8" (9 mm)	209IBYPX †
	1/2" (12 mm)		212IBYPX †	
	3/4" (18 mm)		218IBYPX †	
	1" (24 mm)		224IBYPX †	
	1 1/2" (36 mm)		236IBYPX †	
	Gold		Clear	1/2" (12 mm)
		Black	1/2" (12 mm)	212GBPX

VINYL TAPE - 22.9 ft (7 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12 mm)	212VTBWPX**
		3/4" (18 mm)	218VTBWPX**
		1" (24 mm)	224VTBWPX**
		1 1/2" (36 mm)	236VTBWPX**
		Yellow	1/2" (12 mm)
	3/4" (18 mm)		218VTBYPX**
	1" (24 mm)		224VTBYPX**
	1 1/2" (36 mm)		236VTBYPX**

VINYL SELF-LAMINATING OVERWRAP - 26.2 ft (8 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1" (24 mm), 1/4" White, 3/4" Clear Tail (26ft/L)	224VSLPX**†
		1 1/2" (36 mm), 1/2" White, 1" Clear Tail (26ft/L)	236VSLPX**†

Wire wrap tape prints on white area and has a clear tail to overlap printed material.

EXTRA TOUGH NYLON TAPE - 19 ft (5.8 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12 mm)	212NYLBWPX †
		3/4" (18 mm)	218NYLBWPX †
		1" (24 mm)	224NYLBWPX †

It is recommended to cut nylon tape using scissors to prolong the life of your printer's built-in cutter.

MAGNETIC TAPE - 4.9 ft (1.5 m)				
IMPRINT	TAPE	WIDTH	PART NUMBER	
Black	White	1/2" (12 mm)	212MTBWPX-4.9	
		3/4" (18 mm)	218MTBWPX-4.9	
		1" (24 mm)	224MTBWPX-4.9	
		1 1/2" (36 mm)	236MTBWPX-4.9	
		Yellow	1/2" (12 mm)	212MTBYPX-4.9
			3/4" (18 mm)	218MTBYPX-4.9
	1" (24 mm)		224MTBYPX-4.9	
	1 1/2" (36 mm)		236MTBYPX-4.9	
	Red		1/2" (12 mm)	212MTBRPX-4.9
			3/4" (18 mm)	218MTBRPX-4.9
		1" (24 mm)	224MTBRPX-4.9	
		1 1/2" (36 mm)	236MTBRPX-4.9	
		Blue	1/2" (12 mm)	212MTBBPX-4.9
			3/4" (18 mm)	218MTBBPX-4.9
	1" (24 mm)		224MTBBPX-4.9	
	1 1/2" (36 mm)		236MTBBPX-4.9	
	Green		1/2" (12 mm)	212MTBGPX-4.9
			3/4" (18 mm)	218MTBGPX-4.9
1" (24 mm)		224MTBGPX-4.9		
1 1/2" (36 mm)		236MTBGPX-4.9		

It is recommended to cut magnetic tape using scissors to prolong the life of your printer's built-in cutter.

HEAT SHRINK TUBE - 98 in (2.4 m)						
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER	
Black	Red	3/16" (4 mm)	8-12	2:1	2055TBRPX	
		1/2" (12 mm)	2-8	2:1	2115TBRPX	
	Yellow	1/8" (3 mm)	14-22	3:1	203B20BYPX**	
		3/16" (4 mm)	8-12	2:1	2055TBYPX	
		1/4" (6 mm)	6-18	3:1	208B20BYPX**	
		1/2" (12 mm)	2-8	2:1	2115TBYPX	
		7/8" (22 mm)	0000-1	2:1	2215TBYPX	
		1/8" (3 mm)	14-22	3:1	203B20BWPX**	
	White	3/16" (4 mm)	8-12	2:1	2055TBWPX	
		1/4" (6 mm)	6-18	3:1	208B20BWPX**	
		3/8" (9 mm) 90in/L	4-12	3:1	2105TBWPX-90	
		1/2" (12 mm)	2-8	2:1	2115TBWPX	
		9/16" (14 mm)	0-5	2:1	2145TBWPX	
		7/8" (22 mm)	0000-1	2:1	2215TBWPX	
		Blue	3/16" (4 mm)	10-18	3:1	205YLBWPX
			3/16" (4 mm)	8-12	2:1	2055TWBPX
	White	Black	1/2" (12 mm)	2-8	2:1	2115TWBPX

Compliance Standards: UL Standard 224 (Related Temperature: 125° C, Rated Voltage: 300V, Flame Resistance Grade VW-1). It is recommended to cut heat shrink tube using scissors to prolong the life of your printer's built-in cutter.

* INDICATES THAT SUPPLY IS ALSO AVAILABLE IN STANDARD CARTRIDGES
 ** INDICATES THAT SUPPLY IS ALSO AVAILABLE IN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
 † INDICATES THAT SUPPLY HAS SPLIT-BACK LINING

LW-PX750




LW-PX750



LW-PX750 works great as a stand-alone unit, or connected to a PC, using Epson's Label Editor Software. Create professional, custom labels that stand out either way!

AUTOMATED LABELING PROJECTS



Industry-specific hot keys make complicated projects a breeze by automating tedious formatting.

IMPORT CUSTOM IMAGES



Import logos and images to the stand-alone machine from your PC, and take your branding everywhere you go!

TRIMMABLE CORNERS



Give your labels a longer life by rounding the corners. Prevent snags and peeling by using LW-PX750's built-in corner trimmer.

AVAILABLE KITS



SKU: LW-PX750

Kit Includes:

- LW-PX750 Printer
- ½" Black on White Cartridge (212BWPX)
- AC Adapter
- FREE Label Editor Software Download (Unlimited Licenses)




SKU: LW-PX750PCD

Kit Includes:


- LW-PX750 Printer
- ½" Black on White VINYL Cartridge (212VBWPX)
- AC Adapter
- USB Cable
- Semi-Soft Carrying Case
- FREE Label Editor Software Download (Unlimited Licenses)

REDUCED TAPE WASTE



LW-PX750 can produce the tightest labels in the business, reducing tape waste with every label printed. The printer pulls the tape tail back into the cartridge prior to print to minimize leading margins to as short as 4 mm.

VERSATILE CUTTING



Epson LabelWorks' LW-PX750 has the power to half-cut, or "kiss cut" label tape, keeping your labels all together on one convenient strand.

SPECIAL CHARACTERS



Use the accents and special characters key to make multi-lingual labels. LW-PX750 also comes pre-loaded with 14 fonts for a designer touch.

SCANNABLE LABEL



LW-PX750 can produce bar codes and QR Codes using the stand-alone unit, or connected to a PC.

Check LabelWorks.Epson.com for product updates and information | See next page for tape compatibility >



See page 58 for technical specifications



STANDARD INDUSTRIAL POLYESTER TAPE - 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Clear	1/4" (6 mm)	206BCPX †
		3/8" (9 mm)	209BCPX †
		1/2" (12 mm)	212BCPX †
		3/4" (18 mm)	218BCPX †
		1" (24 mm)	224BCPX †
	Translucent Matte (limited supply)	3/4" (18 mm)	218BTMPX
	White	1/6" (4 mm)	204BWPX
		1/4" (6 mm)	206BWPX †
		3/8" (9 mm)	209BWPX** †
		1/2" (12 mm)	212BWPX** †
		3/4" (18 mm)	218BWPX** †
		1" (24 mm)	224BWPX** †
		Yellow	1/4" (6 mm)
	3/8" (9 mm)		209BYPX** †
	1/2" (12 mm)		212BYPX** †
	3/4" (18 mm)		218BYPX** †
	1" (24 mm)		224BYPX** †
	Green	1/4" (6 mm)	206BGPX †
		3/8" (9 mm)	209BGPX †
		1/2" (12 mm)	212BGPX †
		3/4" (18 mm)	218BGPX †
		1" (24 mm)	224BGPX †
	Blue	1/4" (6 mm)	206BBPX †
		3/8" (9 mm)	209BBPX †
		1/2" (12 mm)	212BBPX †
		3/4" (18 mm)	218BBPX †
		1" (24 mm)	224BBPX †
	Red	1/4" (6 mm)	206BRPX †
		3/8" (9 mm)	209BRPX †
		1/2" (12 mm)	212BRPX †
		3/4" (18 mm)	218BRPX †
		1" (24 mm)	224BRPX †
Orange	1/2" (12 mm)	212BOPX	
	3/4" (18 mm)	218BOPX	
	1" (24 mm)	224BOPX	
White Removable	1/2" (12 mm)	212RAPX †	
Purple	3/4" (18 mm)	218BVPX	
Matte Silver	3/8" (9 mm)	209SMPX †	
	1/2" (12 mm)	212SMPX †	
	3/4" (18 mm)	218SMPX †	
	1" (24 mm)	224SMPX †	

STANDARD INDUSTRIAL POLYESTER TAPE - 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
White	Black	1/4" (6 mm)	206WBPX †
		3/8" (9 mm)	209WBPX †
		1/2" (12 mm)	212WBPX †
		3/4" (18 mm)	218WBPX †
		1" (24 mm)	224WBPX †
	Vivid Red	1/2" (12 mm)	212WRPX
		3/4" (18 mm)	218WRPX
		1" (24 mm)	224WRPX
	Vivid Green	1/2" (12 mm)	212WGPX
		3/4" (18 mm)	218WGPX
		1" (24 mm)	224WGPX
	Vivid Blue	1/2" (12 mm)	212WLPX
		3/4" (18 mm)	218WLPX
		1" (24 mm)	224WLPX
	Clear	1/2" (12 mm)	212WCPX †
		3/4" (18 mm)	218WCPX †
		1" (24 mm)	224WCPX †
		1/2" (12 mm)	212RWPX †
Red	White	1/2" (12 mm)	212RWPX †



FLUORESCENT POLYESTER TAPE - 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Fluorescent Red	3/4" (18 mm)	218FRPX
	Fluorescent Pink		218FPPX
	Fluorescent Orange		218FOPX †
	Fluorescent Yellow		218FYPX †
	Fluorescent Green		218FGPX †

STRONG ADHESIVE POLYESTER TAPE - 30 ft (9 m)				
IMPRINT	TAPE	WIDTH	PART NUMBER	
Black	White	3/8" (9 mm)	209IBWPX †	
		1/2" (12 mm)	212IBWPX †	
		3/4" (18 mm)	218IBWPX †	
		1" (24 mm)	224IBWPX †	
		Yellow	3/8" (9 mm)	209IBYPX †
	1/2" (12 mm)		212IBYPX †	
	3/4" (18 mm)		218IBYPX †	
	1" (24 mm)		224IBYPX †	
	Gold		Clear	1/2" (12 mm)
		Black	1/2" (12 mm)	212GBPX

VINYL TAPE - 22.9 ft (7 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12 mm)	212VTBWPX**
		3/4" (18 mm)	218VTBWPX**
		1" (24 mm)	224VTBWPX**
	Yellow	1/2" (12 mm)	212VTBYPX**
		3/4" (18 mm)	218VTBYPX**
		1" (24 mm)	224VTBYPX**

VINYL SELF-LAMINATING OVERWRAP - 26.2 ft (8 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1" (24 mm), 1/4" White, 3/4" Clear Tail (26ft/L)	224VSLPX** †

Wire wrap tape prints on white area and has a clear tail to overlap printed material.

EXTRA TOUGH NYLON TAPE - 19 ft (5.8 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12 mm)	212NYLBWPX †
		3/4" (18 mm)	218NYLBWPX †
		1" (24 mm)	224NYLBWPX †

It is recommended to cut nylon tape using scissors to prolong the life of your printer's built-in cutter.

MAGNETIC TAPE - 4.9 ft (1.5 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12 mm)	212MTBWPX-4.9
		3/4" (18 mm)	218MTBWPX-4.9
		1" (24 mm)	224MTBWPX-4.9
	Yellow	1/2" (12 mm)	212MTBYPX-4.9
		3/4" (18 mm)	218MTBYPX-4.9
		1" (24 mm)	224MTBYPX-4.9
	Red	1/2" (12 mm)	212MTBRPX-4.9
		3/4" (18 mm)	218MTBRPX-4.9
		1" (24 mm)	224MTBRPX-4.9
	Blue	1/2" (12 mm)	212MTBBPX-4.9
		3/4" (18 mm)	218MTBBPX-4.9
		1" (24 mm)	224MTBBPX-4.9
Green	1/2" (12 mm)	212MTBGPX-4.9	
	3/4" (18 mm)	218MTBGPX-4.9	
	1" (24 mm)	224MTBGPX-4.9	

It is recommended to cut magnetic tape using scissors to prolong the life of your printer's built-in cutter.

HEAT SHRINK TUBE - 98 in (2.4 m)					
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER
Black	Red	3/16" (4 mm)	8-12	2:1	205STRPX
		1/2" (12 mm)	2-8	2:1	211STRPX
	Yellow	1/8" (3 mm)	14-22	3:1	203B20BYPX**
		3/16" (4 mm)	8-12	2:1	205STBYPX
		1/4" (6 mm)	6-18	3:1	208B20BYPX**
		1/2" (12 mm)	2-8	2:1	211STBYPX
	White	1/8" (3 mm)	14-22	3:1	203B20BWPX**
		3/16" (4 mm)	8-12	2:1	205STBWPX
		1/4" (6 mm)	6-18	3:1	208B20BWPX**
		3/8" (9 mm) 90in/L	4-12	3:1	210STBWPX-90
		1/2" (12 mm)	2-8	2:1	211STBWPX
		9/16" (14 mm)	0-5	2:1	214STBWPX
Blue	3/16" (4 mm)	10-18	3:1	205YLBWPX	
	3/16" (4 mm)	8-12	2:1	205STWBPX	
White	Black	1/2" (12 mm)	2-8	2:1	211STWBPX

Compliance Standards: UL Standard 224 (Related Temperature: 125° C, Rated Voltage: 300V, Flame Resistance Grade VW-1). It is recommended to cut heat shrink tube using scissors to prolong the life of your printer's built-in cutter.

* INDICATES THAT SUPPLY IS ALSO AVAILABLE IN STANDARD CARTRIDGES
 ** INDICATES THAT SUPPLY IS ALSO AVAILABLE IN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
 † INDICATES THAT SUPPLY HAS SPLIT-BACK LINING

LW-PX700



LW-PX700




LW-PX700 works great as a stand-alone unit, or connected to a PC, using Epson's Label Editor Software. Create professional, custom labels that stand out either way!

IMPORT CUSTOM IMAGES



Import logos and images to the stand-alone machine from your PC, and take your branding everywhere you go! LW-PX700 stores up to 5 images.

AUTOMATED LABELING PROJECTS



Industrial hot keys simplify and automate complicated labeling projects, and speed up productivity. Choose from many wire marking applications like patch panels and punch block.

AVAILABLE KITS



SKU: LW-PX700

Kit Includes:

- LW-PX700 Printer
- ½" Black on White VINYL Cartridge (212/TBWPX)
- AC Adapter
- FREE Label Editor Software Download (Unlimited Licenses)




SKU: LW-PX700PCD

Kit Includes:


- LW-PX700 Printer
- ½" Black on White VINYL Cartridge (212/TBWPX)
- AC Adapter
- USB Cable
- Lithium-Ion Battery
- Magnetic Attachments
- Heavy-Duty Plastic Case
- FREE Label Editor Software Download (Unlimited Licenses)

REDUCED TAPE WASTE



LW-PX700 can produce the tightest labels in the business, reducing tape waste with every label printed. The printer pulls the tape tail back into the cartridge prior to print to minimize leading margins to as short as 4 mm - much smaller than many competitors' margins that can exceed 1 inch.

VERSATILE CUTTING



Epson LabelWorks' LW-PX700 has the power to half-cut, or "kiss cut" label tape, keeping your labels all together on one convenient strand.

SCANNABLE LABELS



LW-PX700 can produce bar codes and QR Codes using the stand-alone unit, or connected to a PC.

Check LabelWorks.Epson.com for product updates and information | See next page for tape compatibility >



See page 58 for technical specifications

STANDARD INDUSTRIAL POLYESTER TAPE - 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Clear	1/4" (6 mm)	206BCPX †
		3/8" (9 mm)	209BCPX †
		1/2" (12 mm)	212BCPX †
		3/4" (18 mm)	218BCPX †
		1" (24 mm)	224BCPX †
	Translucent Matte (limited supply)	3/4" (18 mm)	218BTMPX
	White	1/6" (4 mm)	204BWPX
		1/4" (6 mm)	206BWPX †
		3/8" (9 mm)	209BWPX** †
		1/2" (12 mm)	212BWPX** †
		3/4" (18 mm)	218BWPX** †
		1" (24 mm)	224BWPX** †
		1/4" (6 mm)	206BYPX †
	Yellow	3/8" (9 mm)	209BYPX** †
		1/2" (12 mm)	212BYPX** †
		3/4" (18 mm)	218BYPX** †
		1" (24 mm)	224BYPX** †
		1/4" (6 mm)	206BGPX †
	Green	3/8" (9 mm)	209BGPX †
		1/2" (12 mm)	212BGPX †
		3/4" (18 mm)	218BGPX †
		1" (24 mm)	224BGPX †
	Blue	1/4" (6 mm)	206BBPX †
		3/8" (9 mm)	209BBPX †
		1/2" (12 mm)	212BBPX †
		3/4" (18 mm)	218BBPX †
	Red	1" (24 mm)	224BBPX †
		1/4" (6 mm)	206BRPX †
		3/8" (9 mm)	209BRPX †
		1/2" (12 mm)	212BRPX †
	Orange	3/4" (18 mm)	218BOPX
		1" (24 mm)	224BOPX
1/2" (12 mm)		212BOPX	
White Removable	3/4" (18 mm)	218BVPX	
Matte Silver	3/8" (9 mm)	209SMPX †	
	1/2" (12 mm)	212SMPX †	
	3/4" (18 mm)	218SMPX †	
	1" (24 mm)	224SMPX †	

STANDARD INDUSTRIAL POLYESTER TAPE - 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
White	Black	1/4" (6 mm)	206WBPX †
		3/8" (9 mm)	209WBPX †
		1/2" (12 mm)	212WBPX †
		3/4" (18 mm)	218WBPX †
		1" (24 mm)	224WBPX †
	Vivid Red	1/2" (12 mm)	212WRPX
		3/4" (18 mm)	218WRPX
	Vivid Green	1" (24 mm)	224WRPX
		1/2" (12mm)	212WGPX
	Vivid Blue	3/4" (18 mm)	218WGPX
		1" (24 mm)	224WGPX
		1/2" (12 mm)	212WLPX
	Clear	3/4" (18 mm)	218WLPX
		1" (24 mm)	224WLPX
		1/2" (12 mm)	212WCPX †
	Red	White	3/4" (18 mm)
1" (24 mm)			224WCPX †
1/2" (12 mm)			212RWPX †



FLUORESCENT POLYESTER TAPE - 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Fluorescent Red	3/4" (18 mm)	218FRPX
	Fluorescent Pink		218FPPX
	Fluorescent Orange		218FOPX †
	Fluorescent Yellow		218FYPX †
	Fluorescent Green		218FGPX †

STRONG ADHESIVE POLYESTER TAPE - 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	3/8" (9 mm)	209IBWPX †
		1/2" (12 mm)	212IBWPX †
		3/4" (18 mm)	218IBWPX †
		1" (24 mm)	224IBWPX †
		3/8" (9 mm)	209IBYPX †
	Yellow	1/2" (12 mm)	212IBYPX †
		3/4" (18 mm)	218IBYPX †
		1" (24 mm)	224IBYPX †
		1/2" (12 mm)	212GCPX †
		1/2" (12 mm)	212GBPX

VINYL TAPE - 22.9 ft (7 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12 mm)	212VTBWPX**
		3/4" (18 mm)	218VTBWPX**
		1" (24 mm)	224VTBWPX**
	Yellow	1/2" (12 mm)	212VTBYPX**
		3/4" (18 mm)	218VTBYPX**
1" (24 mm)	224VTBYPX**		

VINYL SELF-LAMINATING OVERWRAP - 26.2ft (8m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1" (24 mm), 1/4" White, 3/4" Clear Tail (26ft/L)	224VSLPX** †

Wire wrap tape prints on white area and has a clear tail to overlap printed material.

EXTRA TOUGH NYLON TAPE - 19 ft (5.8 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12 mm)	212NYLBWPX †
		3/4" (18 mm)	218NYLBWPX †
		1" (24 mm)	224NYLBWPX †

It is recommended to cut nylon tape using scissors to prolong the life of your printer's built-in cutter.

MAGNETIC TAPE - 4.9 ft (1.5 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12 mm)	212MTBWPX-4.9
		3/4" (18 mm)	218MTBWPX-4.9
		1" (24 mm)	224MTBWPX-4.9
	Yellow	1/2" (12 mm)	212MTBYPX-4.9
		3/4" (18 mm)	218MTBYPX-4.9
		1" (24 mm)	224MTBYPX-4.9
	Red	1/2" (12 mm)	212MTBRPX-4.9
		3/4" (18 mm)	218MTBRPX-4.9
		1" (24 mm)	224MTBRPX-4.9
	Blue	1/2" (12 mm)	212MTBBPX-4.9
		3/4" (18 mm)	218MTBBPX-4.9
		1" (24 mm)	224MTBBPX-4.9
Green	1/2" (12 mm)	212MTBGPX-4.9	
	3/4" (18 mm)	218MTBGPX-4.9	
	1" (24 mm)	224MTBGPX-4.9	

It is recommended to cut magnetic tape using scissors to prolong the life of your printer's built-in cutter.

HEAT SHRINK TUBE - 98 in (2.4 m)					
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER
Black	Red	3/16" (4 mm)	8-12	2:1	205STBRPX
		1/2" (12 mm)	2-8	2:1	211STBRPX
	Yellow	1/8" (3 mm)	14-22	3:1	203B20BYPX**
		3/16" (4 mm)	8-12	2:1	205STBYPX
		1/4" (6 mm)	6-18	3:1	208B20BYPX**
	White	1/2" (12 mm)	2-8	2:1	211STBYPX
		1/8" (3 mm)	14-22	3:1	203B20BWPX**
		3/16" (4 mm)	8-12	2:1	205STBWPX
		1/4" (6 mm)	6-18	3:1	208B20BWPX**
		3/8" (9 mm) 90in/L	4-12	3:1	210STBWPX-90
		1/2" (12 mm)	2-8	2:1	211STBWPX
		9/16" (14 mm)	0-5	2:1	214STBWPX
Blue	3/16" (4 mm)	10-18	3:1	205YLBBPX	
	3/16" (4 mm)	8-12	2:1	205STWBPX	
White	Black	1/2" (12 mm)	2-8	2:1	211STWBPX

Compliance Standards: UL Standard 224 (Related Temperature: 125° C, Rated Voltage: 300V, Flame Resistance Grade VW-1). It is recommended to cut heat shrink tube using scissors to prolong the life of your printer's built-in cutter.

* INDICATES THAT SUPPLY IS ALSO AVAILABLE IN STANDARD CARTRIDGES
 ** INDICATES THAT SUPPLY IS ALSO AVAILABLE IN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
 † INDICATES THAT SUPPLY HAS SPLIT-BACK LINING

LW-PX400



MOBILE APP ENABLED



Connecting to Label Editor Mobile is easy peasy! Simply activate your bluetooth, select LW-PX400 from the drop-down menu, then select your printer from the Bluetooth Menu in Label Editor Mobile, and begin creating your labels!

POWERFUL DESIGN SOFTWARE



LW-PX400 is driven by Label Editor Software (PC), Label Editor Lite (Mac) and Label Editor Mobile App. These applications make for a powerful little printer!

AVAILABLE KITS



SKU: LW-PX400

Kit Includes:

- LW-PX400 Printer
- ½" Black on White VINYL Cartridge (212V1BMPX)
- AC Adapter
- USB Cable
- Rubber Guard
- FREE Label Editor Software Download (Unlimited Licenses)

MULTIPLE USER CAPABILITIES



Multiple labelers in your office? No problem. LW-PX400 has the capability to connect to multiple users, so that everyone on your team can label with ease.

LARGE BATCH LABELING



Large batch labeling? Connect LW-PX400 to either Epson's Label Editor Software OR Label Editor Mobile App to print labels directly from a spreadsheet. Press print once, to print labels in random order, sequenced, with icons or images -- the possibilities are endless.

SCANNABLE LABELS



Bar Codes and QR Codes are easy and efficient using Label Editor Software, Label Editor Lite (Mac) the Label Editor Mobile app!

Check LabelWorks.Epson.com for product updates and information | See next page for tape compatibility >



See page 59 for technical specifications



STANDARD INDUSTRIAL POLYESTER TAPE - 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Clear	1/4" (6 mm)	206BCPX †
		3/8" (9 mm)	209BCPX †
		1/2" (12 mm)	212BCPX †
		3/4" (18 mm)	218BCPX †
		1" (24 mm)	224BCPX †
	Translucent Matte (limited supply)	3/4" (18 mm)	218BTMPX
	White	1/6" (4 mm)	204BWPX
		1/4" (6 mm)	206BWPX †
		3/8" (9 mm)	209BWPX** †
		1/2" (12 mm)	212BWPX** †
		3/4" (18 mm)	218BWPX** †
		1" (24 mm)	224BWPX** †
		1" (24 mm)	224BWPX** †
	Yellow	1/4" (6 mm)	206BYPX †
		3/8" (9 mm)	209BYPX** †
		1/2" (12 mm)	212BYPX** †
		3/4" (18 mm)	218BYPX** †
		1" (24 mm)	224BYPX** †
	Green	1/4" (6 mm)	206BGPX †
		3/8" (9 mm)	209BGPX †
		1/2" (12 mm)	212BGPX †
		3/4" (18 mm)	218BGPX †
		1" (24 mm)	224BGPX †
	Blue	1/4" (6 mm)	206BBPX †
		3/8" (9 mm)	209BBPX †
		1/2" (12 mm)	212BBPX †
		3/4" (18 mm)	218BBPX †
		1" (24 mm)	224BBPX †
	Red	1/4" (6 mm)	206BRPX †
		3/8" (9 mm)	209BRPX †
		1/2" (12 mm)	212BRPX †
		3/4" (18 mm)	218BRPX †
1" (24 mm)		224BRPX †	
Orange	1/2" (12 mm)	212BOPX	
	3/4" (18 mm)	218BOPX	
	1" (24 mm)	224BOPX	
White Removable	1/2" (12 mm)	212RAPX †	
Purple	3/4" (18 mm)	218BVPX	
Matte Silver	3/8" (9 mm)	209SMPX †	
	1/2" (12 mm)	212SMPX †	
	3/4" (18 mm)	218SMPX †	
	1" (24 mm)	224SMPX †	

STANDARD INDUSTRIAL POLYESTER TAPE - 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
White	Black	1/4" (6 mm)	206WBPX †
		3/8" (9 mm)	209WBPX †
		1/2" (12 mm)	212WBPX †
		3/4" (18 mm)	218WBPX †
		1" (24 mm)	224WBPX †
	Vivid Red	1/2" (12 mm)	212WRPX
		3/4" (18 mm)	218WRPX
		1" (24 mm)	224WRPX
		1/2" (12 mm)	212WGPX
		3/4" (18 mm)	218WGPX
	Vivid Green	1/2" (12 mm)	212WGPX
		3/4" (18 mm)	218WGPX
		1" (24 mm)	224WGPX
		1/2" (12 mm)	212WLPX
		3/4" (18 mm)	218WLPX
Vivid Blue	1/2" (12 mm)	212WLPX	
	3/4" (18 mm)	218WLPX	
	1" (24 mm)	224WLPX	
	1/2" (12 mm)	212WCPX †	
	3/4" (18 mm)	218WCPX †	
Clear	1/2" (12 mm)	212WCPX †	
	3/4" (18 mm)	218WCPX †	
	1" (24 mm)	224WCPX †	
Red	White	1/2" (12 mm)	212RWPX †



FLUORESCENT POLYESTER TAPE - 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Fluorescent Red	3/4" (18 mm)	218FRPX
	Fluorescent Pink		218FPPX
	Fluorescent Orange		218FOPX †
	Fluorescent Yellow		218FYPX †
	Fluorescent Green		218FGPX †

STRONG ADHESIVE POLYESTER TAPE - 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	3/8" (9 mm)	209IBWPX †
		1/2" (12 mm)	212IBWPX †
		3/4" (18 mm)	218IBWPX †
		1" (24 mm)	224IBWPX †
		1" (24 mm)	224IBWPX †
	Yellow	3/8" (9 mm)	209IBYPX †
		1/2" (12 mm)	212IBYPX †
		3/4" (18 mm)	218IBYPX †
		1" (24 mm)	224IBYPX †
		1" (24 mm)	224IBYPX †
Gold	Clear	1/2" (12 mm)	212GCPX †
	Black	1/2" (12 mm)	212GBPX

VINYL TAPE - 22.9 ft (7 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12 mm)	212VTBWPX**
		3/4" (18 mm)	218VTBWPX**
		1" (24 mm)	224VTBWPX**
	Yellow	1/2" (12 mm)	212VTBYPX**
		3/4" (18 mm)	218VTBYPX**
		1" (24 mm)	224VTBYPX**

VINYL SELF-LAMINATING OVERWRAP - 26.2 ft (8 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1" (24 mm), 1/4" White, 3/4" Clear Tail (26ft/L)	224VSLPX** †

Wire wrap tape prints on white area and has a clear tail to overlap printed material.

EXTRA TOUGH NYLON TAPE - 19 ft (5.8 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12 mm)	212NYLBWPX †
		3/4" (18 mm)	218NYLBWPX †
		1" (24 mm)	224NYLBWPX †

It is recommended to cut nylon tape using scissors to prolong the life of your printer's built-in cutter.

MAGNETIC TAPE - 4.9 ft (1.5 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12 mm)	212MTBWPX-4.9
		3/4" (18 mm)	218MTBWPX-4.9
		1" (24 mm)	224MTBWPX-4.9
	Yellow	1/2" (12 mm)	212MTBYPX-4.9
		3/4" (18 mm)	218MTBYPX-4.9
		1" (24 mm)	224MTBYPX-4.9
	Red	1/2" (12 mm)	212MTBRPX-4.9
		3/4" (18 mm)	218MTBRPX-4.9
		1" (24 mm)	224MTBRPX-4.9
	Blue	1/2" (12 mm)	212MTBBPX-4.9
		3/4" (18 mm)	218MTBBPX-4.9
		1" (24 mm)	224MTBBPX-4.9
Green	1/2" (12 mm)	212MTBGPX-4.9	
	3/4" (18 mm)	218MTBGPX-4.9	
	1" (24 mm)	224MTBGPX-4.9	

It is recommended to cut magnetic tape using scissors to prolong the life of your printer's built-in cutter.

HEAT SHRINK TUBE - 98 in (2.4 m)					
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER
Black	Red	3/16" (4 mm)	8-12	2:1	205STBRPX
		1/2" (12 mm)	2-8	2:1	211STBRPX
	Yellow	1/8" (3 mm)	14-22	3:1	203B20BYPX**
		3/16" (4 mm)	8-12	2:1	205STBYPX
		1/4" (6 mm)	6-18	3:1	208B20BYPX**
	White	1/2" (12 mm)	2-8	2:1	211STBYPX
		1/8" (3 mm)	14-22	3:1	203B20BWPX**
		3/16" (4 mm)	8-12	2:1	205STBWPX
		1/4" (6 mm)	6-18	3:1	208B20BWPX**
		3/8" (9 mm) 90in/L	4-12	3:1	210STBWPX-90
		1/2" (12 mm)	2-8	2:1	211STBWPX
		9/16" (14 mm)	0-5	2:1	214STBWPX
Blue	3/16" (4 mm)	10-18	3:1	205YLBWPX	
White	Black	3/16" (4 mm)	8-12	2:1	205STWBPX
		1/2" (12 mm)	2-8	2:1	211STWBPX

Compliance Standards: UL Standard 224 (Related Temperature: 125° C, Rated Voltage: 300V, Flame Resistance Grade VW-1). It is recommended to cut heat shrink tube using scissors to prolong the life of your printer's built-in cutter.

* INDICATES THAT SUPPLY IS ALSO AVAILABLE IN STANDARD CARTRIDGES
 ** INDICATES THAT SUPPLY IS ALSO AVAILABLE IN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
 † INDICATES THAT SUPPLY HAS SPLIT-BACK LINING

STANDARD INDUSTRIAL POLYESTER TAPE - 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Clear	1/4" (6 mm)	206BCPX †
		3/8" (9 mm)	209BCPX †
		1/2" (12 mm)	212BCPX †
		3/4" (18 mm)	218BCPX †
	Translucent Matte (limited supply)	3/4" (18 mm)	218BTMPX
	White	1/6" (4 mm)	204BWPX
		1/4" (6 mm)	206BWPX †
		3/8" (9 mm)	209BWPX** †
		1/2" (12 mm)	212BWPX** †
		3/4" (18 mm)	218BWPX** †
	Yellow	1/4" (6 mm)	206BYPX †
		3/8" (9 mm)	209BYPX** †
		1/2" (12 mm)	212BYPX** †
		3/4" (18 mm)	218BYPX** †
	Green	1/4" (6 mm)	206BGPX †
		3/8" (9 mm)	209BGPX †
		1/2" (12 mm)	212BGPX †
		3/4" (18 mm)	218BGPX †
	Blue	1/4" (6 mm)	206BBPX †
		3/8" (9 mm)	209BBPX †
		1/2" (12 mm)	212BBPX †
		3/4" (18 mm)	218BBPX †
	Red	1/4" (6 mm)	206BRPX †
		3/8" (9 mm)	209BRPX †
		1/2" (12 mm)	212BRPX †
	Orange	1/2" (12 mm)	212BOPX
		3/4" (18 mm)	218BOPX
	White Removable	1/2" (12 mm)	212RAPX †
	Purple	3/4" (18 mm)	218BVPX
	Matte Silver	3/8" (9 mm)	209SMPX †
1/2" (12 mm)		212SMPX †	
	3/4" (18 mm)	218SMPX †	

STANDARD INDUSTRIAL POLYESTER TAPE - 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
White	Black	1/4" (6 mm)	206WBPX †
		3/8" (9 mm)	209WBPX †
		1/2" (12 mm)	212WBPX †
		3/4" (18 mm)	218WBPX †
		1/2" (12 mm)	212WRPX
	Vivid Red	3/4" (18 mm)	218WRPX
		1/2" (12 mm)	212WGPX
	Vivid Green	3/4" (18 mm)	218WGPX
		1/2" (12 mm)	212WLPX
	Vivid Blue	3/4" (18 mm)	218WLPX
		1/2" (12 mm)	212WCPX †
	Clear	3/4" (18 mm)	218WCPX †
1/2" (12 mm)		212RWPX †	
Red	White	1/2" (12 mm)	212RWPX †



FLUORESCENT POLYESTER TAPE - 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Fluorescent Red	3/4" (18 mm)	218FRPX
	Fluorescent Pink		218FPPX
	Fluorescent Orange		218FOPX †
	Fluorescent Yellow		218FYPX †
	Fluorescent Green		218FGPX †

STRONG ADHESIVE POLYESTER TAPE- 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	3/8" (9 mm)	209IBWPX †
		1/2" (12 mm)	212IBWPX †
		3/4" (18 mm)	218IBWPX †
	Yellow	3/8" (9 mm)	209IBYPX †
		1/2" (12 mm)	212IBYPX †
		3/4" (18 mm)	218IBYPX †
Gold	Clear	1/2" (12 mm)	212GCPX †
	Black	1/2" (12 mm)	212GBPX

VINYL TAPE - 22.9 ft (7 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12 mm)	212VTBWPX**
		3/4" (18 mm)	218VTBWPX**
	Yellow	1/2" (12 mm)	212VTBYPX**
		3/4" (18 mm)	218VTBYPX**

EXTRA TOUGH NYLON TAPE - 19 ft (5.8 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12 mm)	212NYLBWPX †
		3/4" (18 mm)	218NYLBWPX †

It is recommended to cut nylon tape using scissors to prolong the life of your printer's built-in cutter.

MAGNETIC TAPE - 4.9 ft (1.5 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12mm)	212MTBWPX-4.9
		3/4" (18mm)	218MTBWPX-4.9
	Yellow	1/2" (12mm)	212MTBYPX-4.9
		3/4" (18mm)	218MTBYPX-4.9
	Red	1/2" (12mm)	212MTBRPX-4.9
		3/4" (18mm)	218MTBRPX-4.9
	Blue	1/2" (12mm)	212MTBBPX-4.9
		3/4" (18mm)	218MTBBPX-4.9
	Green	1/2" (12mm)	212MTBGPX-4.9
		3/4" (18mm)	218MTBGPX-4.9

It is recommended to cut magnetic tape using scissors to prolong the life of your printer's built-in cutter.

HEAT SHRINK TUBE - 98 in (2.4 m)					
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER
Black	Red	3/16" (4 mm)	8-12	2:1	205STBRPX
		1/2" (12 mm)	2-8	2:1	211STBRPX
	Yellow	1/8" (3 mm)	14-22	3:1	203B20BYPX**
		3/16" (4 mm)	8-12	2:1	205STBYPX
		1/4" (6 mm)	6-18	3:1	208B20BYPX**
	White	1/2" (12 mm)	2-8	2:1	211STBYPX
		1/8" (3 mm)	14-22	3:1	203B20BWPX**
		3/16" (4 mm)	8-12	2:1	205STBWPX
		1/4" (6 mm)	6-18	3:1	208B20BWPX**
	Blue	3/8" (9 mm) 90in/L	4-12	3:1	210STBWPX-90
1/2" (12 mm)		2-8	2:1	211STBWPX	
3/16" (4 mm)		10-18	3:1	205YLBWPX	
3/16" (4 mm)		8-12	2:1	205STWBPX	
White	Black	1/2" (12 mm)	2-8	2:1	211STWBPX

Compliance Standards: UL Standard 224 (Related Temperature: 125° C, Rated Voltage: 300V, Flame Resistance Grade VW-1). It is recommended to cut heat shrink tube using scissors to prolong the life of your printer's built-in cutter.

* INDICATES THAT SUPPLY IS ALSO AVAILABLE IN STANDARD CARTRIDGES
 ** INDICATES THAT SUPPLY IS ALSO AVAILABLE IN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
 † INDICATES THAT SUPPLY HAS SPLIT-BACK LINING

LW-PX300



LW-PX300



The Epson LabelWorks LW-PX300 provides an industrial-grade labeling solution at an entry-level price. For those seeking a low-cost, compact basic wire-marking, bar code, and general identification label solution for creating custom labels up to 3/4" (18 mm) wide, the LW-PX300 delivers.

SIMPLE, LIGHTWEIGHT, AND COMPACT




The LW-PX300 is not that much larger than a mobile phone. Perfect for handheld use.

BAR CODES



Easily create select bar code styles using the LW-PX300.

CONVENIENT PRINTING



Press print once and print multiple copies for bigger projects. Easily save and store labels to return and print at a later time.

AVAILABLE KITS



SKU: LW-PX300

Kit Includes:

- LW-PX300 Printer
- 1/2" Black on White VINYL Cartridge (212/1TBWPX)
- User Guide



SKU: LW-PX300VP

Kit Includes:

- LW-PX300 Printer
- 1/2" Black on White VINYL Cartridge (212/1TBWPX)
- AC Adapter
- Rubber Guard
- Heavy-Duty Plastic Case

Check LabelWorks.Epson.com for product updates and information | See next page for tape compatibility >




See page 60 for technical specifications



STANDARD INDUSTRIAL POLYESTER TAPE - 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Clear	1/4" (6 mm)	206BCPX †
		3/8" (9 mm)	209BCPX †
		1/2" (12 mm)	212BCPX †
		3/4" (18 mm)	218BCPX †
	Translucent Matte (limited supply)	3/4" (18 mm)	218BTMPX
	White	1/4" (6 mm)	206BWPX †
		3/8" (9 mm)	209BWPX** †
		1/2" (12 mm)	212BWPX** †
		3/4" (18 mm)	218BWPX** †
	Yellow	1/4" (6 mm)	206BYPX †
		3/8" (9 mm)	209BYPX** †
		1/2" (12 mm)	212BYPX** †
		3/4" (18 mm)	218BYPX** †
	Green	1/4" (6 mm)	206BGPX †
		3/8" (9 mm)	209BGPX †
		1/2" (12 mm)	212BGPX †
	Blue	3/4" (18 mm)	218BGPX †
		1/4" (6 mm)	206BBPX †
		3/8" (9 mm)	209BBPX †
	Red	1/2" (12 mm)	212BBPX †
		3/4" (18 mm)	218BBPX †
		1/4" (6 mm)	206BRPX †
	Orange	3/8" (9 mm)	209BRPX †
		1/2" (12 mm)	212BRPX †
		3/4" (18 mm)	218BRPX †
	White Removable	1/2" (12 mm)	212BOPX
		3/4" (18 mm)	218BOPX
	Purple	1/2" (12 mm)	212RAPX †
Matte Silver	3/4" (18 mm)	218BVPX	
	3/8" (9 mm)	209SMPX †	
	1/2" (12 mm)	212SMPX †	
	3/4" (18 mm)	218SMPX †	

STANDARD INDUSTRIAL POLYESTER TAPE - 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
White	Black	1/4" (6 mm)	206WBPX †
		3/8" (9 mm)	209WBPX †
		1/2" (12 mm)	212WBPX †
		3/4" (18 mm)	218WBPX †
	Vivid Red	1/2" (12 mm)	212WRPX
	3/4" (18 mm)	218WRPX	
	Vivid Green	1/2" (12 mm)	212WGPX
	3/4" (18 mm)	218WGPX	
	Vivid Blue	1/2" (12 mm)	212WLPX
	3/4" (18 mm)	218WLPX	
	Clear	1/2" (12 mm)	212WCPX †
	3/4" (18 mm)	218WCPX †	
Red	White	1/2" (12 mm)	212RWPX †



STRONG ADHESIVE POLYESTER TAPE- 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	3/8" (9 mm)	209IBWPX †
		1/2" (12 mm)	212IBWPX †
		3/4" (18 mm)	218IBWPX †
	Yellow	3/8" (9 mm)	209IBYPX †
		1/2" (12 mm)	212IBYPX †
		3/4" (18 mm)	218IBYPX †
Gold	Clear	1/2" (12 mm)	212GCPX †
	Black	1/2" (12 mm)	212GBPX

FLUORESCENT POLYESTER TAPE- 30 ft (9 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	Fluorescent Red	3/4" (18 mm)	218FRPX
	Fluorescent Pink		218FPPX
	Fluorescent Orange		218FOPX †
	Fluorescent Yellow		218FYYPX †
	Fluorescent Green		218FGPX †

VINYL TAPE - 22.9 ft (7 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12 mm)	212VTBWPX**
		3/4" (18 mm)	218VTBWPX**
	Yellow	1/2" (12 mm)	212VTBYPX**
		3/4" (18 mm)	218VTBYPX**

NYLON TAPE - 19 ft (5.8 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12 mm)	212NYLBWPX †
		3/4" (18 mm)	218NYLBWPX †

It is recommended to cut nylon tape using scissors to prolong the life of your printer's built-in cutter.

MAGNETIC TAPE - 4.9 ft (1.5 m)			
IMPRINT	TAPE	WIDTH	PART NUMBER
Black	White	1/2" (12 mm)	212MTBWPX-4.9
		3/4" (18 mm)	218MTBWPX-4.9
	Yellow	1/2" (12 mm)	212MTBYPX-4.9
		3/4" (18 mm)	218MTBYPX-4.9
	Red	1/2" (12 mm)	212MTBRPX-4.9
		3/4" (18 mm)	218MTBRPX-4.9
	Blue	1/2" (12 mm)	212MTBBPX-4.9
		3/4" (18 mm)	218MTBBPX-4.9
	Green	1/2" (12 mm)	212MTBGPX-4.9
		3/4" (18 mm)	218MTBGPX-4.9

It is recommended to cut magnetic tape using scissors to prolong the life of your printer's built-in cutter.

HEAT SHRINK TUBE - 98 in (2.4 m)					
IMPRINT	TAPE	NOMINAL DIAMETER	AWG	SHRINK RATIO	PART NUMBER
Black	Red	3/16" (4 mm)	8-12	2:1	205STBRPX
	Yellow	1/8" (3 mm)	14-22	3:1	203B20BYPX**
		3/16" (4 mm)	8-12	2:1	205STBYPX
	White	1/8" (3 mm)	14-22	3:1	203B20BWPX**
3/16" (4 mm)		8-12	2:1	205STBWPX	
Blue	3/16" (4 mm)	10-18	3:1	205YLBWPX	
	Black	3/16" (4 mm)	8-12	2:1	205STWBPX

Compliance Standards: UL Standard 224 (Related Temperature: 125° C, Rated Voltage: 300V, Flame Resistance Grade VW-1). It is recommended to cut heat shrink tube using scissors to prolong the life of your printer's built-in cutter.

* INDICATES THAT SUPPLY IS ALSO AVAILABLE IN STANDARD CARTRIDGES
 ** INDICATES THAT SUPPLY IS ALSO AVAILABLE IN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
 † INDICATES THAT SUPPLY HAS SPLIT-BACK LINING

LABEL EDITOR SOFTWARE

TAKE YOUR LABELING TO THE NEXT LEVEL!

Print wirelessly† or via USB using this intuitive label-creating platform. We've included hundreds of templates for common industry-specific labels, and included over 1000 industry symbols for a comprehensive labeling experience.

Experience ultimate versatility by connecting compatible* LabelWorks printers to a PC.**



Easily save and share label designs!

Unlimited license downloads included with LW-PX400 kits, LW-PX700 kits, LW-PX750 kits, LW-PX800, LW-PX900 kits, LW-Z5000PX kits, and LW-Z5010PX kits.


Import large batch files with Excel™

Formats include: .cst, .txt, .xls, .xlsx, .xlsm

Easy Bar Code and QR Code Templates

Label Editor Software produces many bar codes including: QR Code • Micro QR Code • MaxiCode • PDF417 • DataMatrix • EAN-8 (JAN-8) • EAN-13 (JAN-13) • CODE39 • CODE128 • UPC-A • UPC-E • NW-7 (Codabar) • ITF • GS1-128 (EAN-128) • GS1 DataBar

Upload Images and Logos



* Label Editor is not compatible with LW-PX300 or LW-PX350

** Use Label Editor Lite for Mac

† Wireless printing available only on LW-PX400, LW-PX800, LW-Z5010PX, and LW-Z5000PX

MOBILE APPS TO SIMPLIFY LABELING

Wireless labeling has never been easier with the Epson Label Editor Mobile, iLabel™, and Datacom apps! Simply connect the FREE apps to your printer and mobile device via Bluetooth® or Wireless LAN to utilize pre-formatted templates, bar codes, and much more!



Use the Epson Label Editor Mobile App for:

- General ID
- Home & Craft
- QR Codes
- Festive Labels
- Batch Printing from Spreadsheets
- Date and Time Stamps
- General Facility Labeling
- and MUCH more!



The Epson Label Editor Mobile app has an easy-to-use, drag-and-drop intuitive interface with designer formatting options and easily connects to your mobile device wirelessly.



GET IT ON
Google Play



Download on the
App Store

Scan here to try for FREE today!



Use the Epson Datacom or Epson iLabel Apps for:


- Wire Marking
- Patch Panels
- QR Codes
- Bar Codes
- Faceplates
- Safety Labels
- Logos
- And MUCH more!



iLabel:
1,000+ industrial and facility symbols




iLabel:
Pre-formatted label templates



Datacom:
Quickly access common labeling applications



Datacom:
Customize cable wrap, including heat shrink tube



Datacom:
Choose templates based on panel brands



Technical Support: 800.622.6312 or support@labelworks.epson.com



LABEL EDITOR MOBILE BY EPSON

Your Intuitive Mobile App for Creating Perfect Labels

Designed to make labeling easy, fun, and fast, Epson's free Label Editor Mobile app puts labeling design in the palm of your hand.

With advanced labeling functionality built right in, Label Editor Mobile gives you the flexibility to choose from your favorite fonts, symbols, frames, barcodes, QR codes, and more! Create tables or print a batch of serialized labels. Or just let your imagination guide you to create whimsical labels for any purpose.

Wherever your creativity wants to take you, Label Editor Mobile makes it easy to get there!



Designed to make labeling easy, fun, and fast, Epson's free Label Editor Mobile app puts labeling design in the palm of your hand.

ABOUT EPSON LABELWORKS

Headquartered in America's heartland

Wisconsin-based Epson LabelWorks serves as Epson's marketing, sales, and fulfillment organization for its comprehensive line of thermal transfer industrial labeling solutions for the United States and Canada.

Now an Epson Group Company, Epson LabelWorks was once known by our legal name, K-SUN Corporation, which began serving the label printing market in 1978. With more than 35 years of growth and success, Epson fully acquired K-SUN Corporation in 2014.

Today, we're better known as Epson LabelWorks, a brand that mirrors our ownership, our driving principles, and the innovative products we bring to the market.



Epson LabelWorks Headquarters, located in America's heartland in Somerset, Wisconsin.

TOP 3 REASONS FOR CHOOSING EPSON LABELWORKS PX

Backed by Epson, a Brand you Know and a Company you Can Trust

1

SAVINGS

Users save on print costs over time with less wasted tape and more material per cartridge. Our printers produce short margins, and offer tape-saving features like auto-rewind to save even more.

2

LIFETIME WARRANTY

Epson LABELWORKS PX offers an unmatched lifetime warranty. If a user breaks it, we replace it.

No exceptions, no fine print. Full replacement.

3

SUPPORT

Epson LABELWORKS PX boasts industry-leading product, technical and customer support. We have trained local staff on-hand for one-on-one support via phone, email, chat and in-person, on-site training.



EPSON LABELWORKS | 370 SMC DRIVE | SOMERSET, WISCONSIN 54025 | (800) 622-6312 | LABELWORKS.EPSON.COM

Copyright © 2023 . Epson LabelWorks/K-Sun Corporation. All rights reserved.



MEET THE SUPPLIES

More than 180 Types of Label Media to Choose From

HEAT SHRINK TUBE

Durable, Flexible, Shrink Tube

Print right on the sleeve, apply around your desired wire and shrink using a heat tool for a snug fit. Leave it as-is for movable sleeves, or shrink around multiple wires for optimum organization. Epson's printable heat shrink tube comes in a variety of colors and sizes and is compatible with all LabelWorks PX printers (check for tube size compatibility).
Available in continuous standard cartridges and bulk value rolls for select sizes, colors and cuts.



MAGNETIC TAPE

Durable, Printable, Moveable Solution

Excellent for warehousing, scheduling, whiteboards, and any instance of rotating/moving inventory and assets, LabelWorks PX magnet tape can withstand extremes in heat, cold, and high humidity conditions. The labels can withstand cleaning with many household cleaners and solvents and will stay attached with excellent resistance to smearing, scratching, curling edges, or peeling.



STANDARD INDUSTRIAL POLYESTER TAPE

The Real Deal

Our take on classic labeling tape comes in many colors and sizes. Composed of durable polyester with a gloss finish and strong adhesive, this tape is suitable for indoor and outdoor use for many industrial applications. Most Industrial tape cartridges come with split-back lining for easy peeling and easy application. Best of all, these cartridges are cross-compatible among LabelWorks PX printers.
Available in all PX colors and sizes in standard cartridges and select colors and sizes in bulk value rolls.



STRONG ADHESIVE POLYESTER TAPE

The Bond that Keeps Bonding

Our strong adhesive is for those who require a stronger bond for more porous, curved, or textured surfaces. Our strong adhesive polyester tape is ideal for those tough-to-stick-to surfaces. The adhesive bond grows stronger over time, which makes for long-lasting, durable labels suitable in the harshest environments.



REMOVABLE ADHESIVE TAPE

Clean Look, Easy Peel

Popular with labs and medical industries, removable adhesive stays put when and where you want it, and is easy to remove when you no longer need it! Eliminate the need to scrape off the adhesive residue left by traditional labels by using Epson's removable adhesive labeling tape.



SILVER MATTE POLYESTER TAPE

Give Your Labels a Sharp, Professional Look

Want to give your bar code labels a super professional finish? Silver Matte polyester tape is a must-have wherever scanners are used to read bar codes! Whether it's asset management or inventory management, barcoders everywhere love the professional, finished look they get from this versatile specialty tape.



VINYL SELF-LAMINATING OVERWRAP

Label and Wrap it Up

LabelWorks PX self-laminating vinyl cable wrap provides long-lasting legible labels. Featuring a clean, opaque printable area along with a durable and flexible clear wraparound protective covering, Epson's self-laminating vinyl can withstand temperature extremes, chemicals, and solvents. Our vinyl self-laminating label material is highly resistant to smearing, wrinkling, scratching, and peeling to ensure your cables and wires remain identifiable for years.
Available in continuous standard cartridges and bulk value rolls for select sizes, colors and cuts.



FLUORESCENT POLYESTER TAPE

Bright and Bold

Grab attention and make a statement with fluorescent labels! Epson LabelWorks offers 3/4" polyester fluorescent tape in 5 different colors. Popular among labs and medical applications, this eye-catching label tape is perfect for making important announcements, warnings, and statements. Our fluorescent tape is compatible with all Epson LabelWorks printer models and comes packed with 30-feet of tape in each cartridge.



VINYL TAPE

Versatile and Flexible

Our most versatile and flexible option yet! Designed to withstand temperature extremes, this super flexible, durable labeling supply boasts a strong adhesive that is tough enough to stay but can be removed without leaving residue. We recommend using this product indoors or outdoors and on curved surfaces to unlock its full potential.
Available in continuous standard cartridges and bulk value rolls.



EXTRA-TOUGH NYLON TAPE

Tough and Durable

If you need durable custom labels that will stick in rugged, punishing, harsh industrial environments, check out Extra-Tough Nylon Cloth labeling supplies from Epson LabelWorks. Available in 1/2", 3/4", or 1" widths, our newest labeling tape is engineered for the toughest labeling environments.



Check LabelWorks.Epson.com for product updates and information

MEET THE BULK VALUE SUPPLIES

Bulk Up and Save with Your Z Series Printer

BULK VALUE ROLLS

Reduce Cost of Labeling by 30% or More

Epson's bulk labeling supplies come in a variety of continuous or die-cut in Flexible Vinyl, Standard Polyester, and our most popular sizes of Heat Shrink Tube. Perfect for high-volume jobs around every facility.

BULK VALUE DIE-CUT

Convenient Die-Cut Heat Shrink Tube and Cable Wrap

Let die-cut bulk labels take the guesswork out of large, bulk labeling jobs. No need to program cuts, just print, peel, and apply!

AUTOMATIC REWINDER

Automate your Label Rolls

The Epson LabelWorks PX bulk value supplies are compatible with our automatic rewinder attachment, which makes for optimal bulk efficiency. The automatic rewinder automatically winds labels in a convenient roll, saving tons of time compared to rolling manually.

Compatible with the LW-Z5010PX and the LW-Z5000PX



YOUR ONE-STOP LABELING SHOP

Over 180 Color Combinations in the Epson LabelWorks PX Supply Line

Not sure what you need?

Our team of labeling experts based in Somerset, WI are standing by to help you. Labeling is fun, and we're passionate about it!

Live Chat with us between 8AM-4PM M-F CST or call our toll-free number **800.622.6312**

If you prefer email, reach out at orders@labelworks.epson.com

LABELWORKS PX SUPPLY LINE

HEAT SHRINK TUBE

Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XLST, 2012XLST, 2012XLST-PC, 2010PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.

PART NUMBER	DESCRIPTION
203B20BWPX**	1/8" AWG 14-22 BLACK/WHITE - 98"
203B20BYPX**	1/8" AWG 14-22 BLACK/YELLOW - 98"
205STBRPX	3/16" AWG 8-12 BLACK/RED - 98"
205STBYPX	3/16" AWG 8-12 BLACK/YELLOW - 98"
205STBWPX	3/16" AWG 8-12 BLACK/WHITE - 98"
205YLBWPX	3/16" AWG 10-18 BLACK/BLUE - 98"
205STWBPX	3/16" AWG 8-12 WHITE/BLACK - 98"

Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400, LW-PX350. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XLST, 2012XLST, 2012XLST-PC, 2010PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.

PART NUMBER	DESCRIPTION
208B20BWPX**	1/4" AWG 6-18 BLACK/WHITE - 98"
208B20BYPX**	1/4" AWG 6-18 BLACK/YELLOW - 98"
210STBWPX-90	3/8" AWG 4-12 BLACK/WHITE - 90"
211STBRPX	1/2" AWG 2-8 BLACK/RED - 98"
211STBYPX	1/2" AWG 2-8 BLACK/YELLOW - 98"
211STBWPX	1/2" AWG 2-8 BLACK/WHITE - 98"
211STWBPX	1/2" AWG 2-8 WHITE/BLACK - 98"

Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400. Use in K-Sun® models: 2020LSTB, 2020LSTB-PC.

PART NUMBER	DESCRIPTION
214STBWPX	9/16" AWG 0-5 BLACK/WHITE - 98"

Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800.

PART NUMBER	DESCRIPTION
221STBWPX	7/8" AWG 0000-1 BLACK/WHITE - 98"
221STBYPX	7/8" AWG 0000-1 BLACK/YELLOW - 98"

VINYL SELF-LAMINATING OVERWRAP

Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400. Use in K-Sun® models: 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.

PART NUMBER	DESCRIPTION
224VSLPX**†	24mm 1" VINYL SELF LAMINATING OVERWRAP (1/4" White, 3/4" Clear) 26.2'

Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800. Use in K-Sun® models: PEARLabel® 360.

PART NUMBER	DESCRIPTION
236VSLPX**†	36mm 1.5" VINYL SELF LAMINATING OVERWRAP (1/2" WHITE, 1" CLEAR) 26.2'

VINYL TAPE

Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400, LW-PX350, LW-PX300. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XLST, 2012XLST, 2012XLST-PC, 2010PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.

PART NUMBER	DESCRIPTION
212VTBWPX**	12mm 1/2" BLACK Imprint/WHITE VINYL TAPE/22.9'
212VTBYPX**	12mm 1/2" BLACK Imprint/YELLOW VINYL TAPE/22.9'
218VTBWPX**	18mm 3/4" BLACK Imprint/WHITE VINYL TAPE/22.9'
218VTBYPX**	18mm 3/4" BLACK Imprint/YELLOW VINYL TAPE/22.9'



Vinyl Tape: 218VTBYPX

Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400. Use in K-Sun® models: 2001XLB, 2001XLST, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2010PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.

PART NUMBER	DESCRIPTION
224VTBWPX**	24mm 1" BLACK Imprint/WHITE VINYL TAPE/22.9'
224VTBYPX**	24mm 1" BLACK Imprint/YELLOW VINYL TAPE/22.9'

Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800. Use in K-Sun® models: PEARLabel®360.

PART NUMBER	DESCRIPTION
236VTBWPX**	36mm 1.5" BLACK Imprint/WHITE VINYL TAPE/22.9'
236VTBYPX**	36mm 1.5" BLACK Imprint/YELLOW VINYL TAPE/22.9'

Use in Epson models: LW-Z5000PX, LW-Z5010PX

PART NUMBER	DESCRIPTION
250VTBWPX**	50mm 2" BLACK ON WHITE VINYL TAPE/22.9'
250VTBYPX**	50mm 2" BLACK ON YELLOW VINYL TAPE/22.9'

STANDARD INDUSTRIAL POLYESTER TAPE

4mm - 1/6" Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400, LW-PX350. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.

PART NUMBER	DESCRIPTION
204BWPX	4mm 1/6" BLACK Imprint/WHITE Tape/30'

6mm - 1/4" Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400, LW-PX350, LW-PX300. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.

PART NUMBER	DESCRIPTION
206BCPX †	6mm 1/4" BLACK Imprint/CLEAR Tape/30'
206BWPX †	6mm 1/4" BLACK Imprint/WHITE Tape/30'
206BYPX †	6mm 1/4" BLACK Imprint/YELLOW Tape/30'
206WBPX †	6mm 1/4" WHITE Imprint/BLACK Tape/30'
206BGPX †	6mm 1/4" BLACK Imprint/GREEN Tape/30'
206BBPX †	6mm 1/4" BLACK Imprint/BLUE Tape/30'
206BRPX †	6mm 1/4" BLACK Imprint/RED Tape/30'

9mm - 3/8" Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400, LW-PX350, LW-PX300. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.

PART NUMBER	DESCRIPTION
209BCPX †	9mm 3/8" BLACK Imprint/CLEAR Tape/30'
209BWPX** †	9mm 3/8" BLACK Imprint/WHITE Tape/30'
209IBWPX †	9mm 3/8" BLACK Imprint/WHITE Tape/30' STRONG ADHESIVE
209BYPX** †	9mm 3/8" BLACK Imprint/YELLOW Tape/30'
209IBYPX †	9mm 3/8" BLACK Imprint/YELLOW Tape/30' STRONG ADHESIVE
209WBPX †	9mm 3/8" WHITE Imprint/BLACK Tape/30'
209BGPX †	9mm 3/8" BLACK Imprint/GREEN Tape/30'
209BBPX †	9mm 3/8" BLACK Imprint/BLUE Tape/30'
209BRPX †	9mm 3/8" BLACK Imprint/RED Tape/30'



Magnetic Tape: 212MTBWPX-4.9

** INDICATES THAT SUPPLY IS ALSO AVAILABLE IN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
† INDICATES THAT SUPPLY HAS SPLIT-BACK LINING

Check LabelWorks.Epson.com for product updates and information

STANDARD INDUSTRIAL POLYESTER TAPE

12mm - 1/2" Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400, LW-PX350, LW-PX300. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.

PART NUMBER	DESCRIPTION
212BCPX †	12mm 1/2" BLACK Imprint/CLEAR Tape/30'
212WCPX †	12mm 1/2" WHITE Imprint/CLEAR Tape/30'
212BWPX***	12mm 1/2" BLACK Imprint/WHITE Tape/30'
212IBWPX †	12mm 1/2" BLACK Imprint/WHITE Tape/30' STRONG ADHESIVE
212BYPX***†	12mm 1/2" BLACK Imprint/YELLOW Tape/30'
212IBYPX †	12mm 1/2" BLACK Imprint/YELLOW Tape/30' STRONG ADHESIVE
212WBXP †	12mm 1/2" WHITE Imprint/BLACK Tape/30'
212BBPX †	12mm 1/2" BLACK Imprint/BLUE Tape/30'
212BRPX †	12mm 1/2" BLACK Imprint/RED Tape/30'
212BOPX	12mm 1/2" BLACK Imprint/ORANGE Tape/30'
212BGPX †	12mm 1/2" BLACK Imprint/GREEN Tape/30'
212WRPX	12mm 1/2" WHITE Imprint/VIVID RED Tape/30'
212WGPX	12mm 1/2" WHITE Imprint/VIVID GREEN Tape/30'
212WLPX	12mm 1/2" WHITE Imprint/VIVID BLUE Tape/30'
212RWPX †	12mm 1/2" RED Imprint/WHITE Tape/30'
212GCPX †	12mm 1/2" GOLD Imprint/CLEAR Tape/30' STRONG ADHESIVE
212GBPX	12mm 1/2" GOLD Imprint/BLACK Tape/30' STRONG ADHESIVE
212RAPX †	12mm 1/2" BLACK Imprint/WHITE Tape/30' REMOVABLE ADHESIVE

18mm - 3/4" Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400, LW-PX350, LW-PX300. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.

PART NUMBER	DESCRIPTION
218BCPX †	18mm 3/4" BLACK Imprint/CLEAR Tape/30'
218WCPX †	18mm 3/4" WHITE Imprint/CLEAR Tape/30'
218BTMPX	18mm 3/4" BLACK Imprint/TRANSLUCENT MATTE - LIMITED SUPPLY
218BWPX***	18mm 3/4" BLACK Imprint/WHITE Tape/30'
218IBWPX †	18mm 3/4" BLACK Imprint/WHITE Tape/30' STRONG ADHESIVE
218BYPX***†	18mm 3/4" BLACK Imprint/YELLOW Tape/30'
218IBYPX †	18mm 3/4" BLACK Imprint/YELLOW Tape/30' STRONG ADHESIVE
218WBXP †	18mm 3/4" WHITE Imprint/BLACK Tape/30'
218BBPX †	18mm 3/4" BLACK Imprint/BLUE Tape/30'
218BRPX †	18mm 3/4" BLACK Imprint/RED Tape/30'
218BOPX	18mm 3/4" BLACK Imprint/ORANGE Tape/30'
218BGPX †	18mm 3/4" BLACK Imprint/GREEN Tape/30'
218BVPX	18mm 3/4" BLACK Imprint/PURPLE Tape/30'
218WRPX	18mm 3/4" WHITE Imprint/VIVID RED Tape/30'
218WGPX	18mm 3/4" WHITE Imprint/VIVID GREEN Tape/30'
218WLPX	18mm 3/4" WHITE Imprint/VIVID BLUE Tape/30'

24mm - 1" Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400. Use in K-Sun® models: 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.

PART NUMBER	DESCRIPTION
224BCPX †	24mm 1" BLACK Imprint/CLEAR Tape/30'
224WCPX †	24mm 1" WHITE Imprint/CLEAR Tape/30'
224BWPX***	24mm 1" BLACK Imprint/WHITE Tape/30'
224IBWPX †	24mm 1" BLACK Imprint/WHITE Tape/30' STRONG ADHESIVE
224BYPX***†	24mm 1" BLACK Imprint/YELLOW Tape/30'
224IBYPX †	24mm 1" BLACK Imprint/YELLOW Tape/30' STRONG ADHESIVE
224WBXP †	24mm 1" WHITE Imprint/BLACK Tape/30'
224BBPX †	24mm 1" BLACK Imprint/BLUE Tape/30'
224BRPX †	24mm 1" BLACK Imprint/RED Tape/30'
224BGPX †	24mm 1" BLACK Imprint/GREEN Tape/30'
224BOPX	24mm 1" BLACK Imprint/ORANGE Tape/30'
224WRPX	24mm 1" WHITE Imprint/VIVID RED Tape/30'
224WGPX	24mm 1" WHITE Imprint/VIVID GREEN Tape/30'
224WLPX	24mm 1" WHITE Imprint/VIVID BLUE Tape/30'

36mm - 1 1/2" Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800. Use in K-Sun® model: PEARLabel®360.

PART NUMBER	DESCRIPTION
236BCPX †	36mm 1.5" BLACK Imprint/CLEAR Tape/30'
236BWPX***	36mm 1.5" BLACK Imprint/WHITE Tape/30'
236IBWPX †	36mm 1.5" BLACK Imprint/WHITE Tape/30' STRONG ADHESIVE
236BYPX***†	36mm 1.5" BLACK Imprint/YELLOW Tape/30'
236IBYPX †	36mm 1.5" BLACK Imprint/YELLOW Tape/30' STRONG ADHESIVE
236WBXP †	36mm 1.5" WHITE Imprint/BLACK Tape/30'
236BBPX †	36mm 1.5" BLACK Imprint/BLUE Tape/30'
236BRPX †	36mm 1.5" BLACK Imprint/RED Tape/30'
236BOPX	36mm 1.5" BLACK Imprint/ORANGE Tape/30'
236BGPX †	36mm 1.5" BLACK Imprint/GREEN Tape/30'
236WRPX	36mm 1.5" WHITE Imprint/VIVID RED Tape/30'
236WLPX	36mm 1.5" WHITE Imprint/VIVID BLUE Tape/30'
50mm - 2"	Use in Epson models: LW-Z5000PX, LW-Z5010PX

PART NUMBER	DESCRIPTION
250BCPX	50mm 2" X BLACK Imprint/CLEAR Tape/26.2'
250BWPX**	50mm 2" X BLACK Imprint/WHITE Tape/26.2'
250IBWPX	50mm 2" X BLACK Imprint/WHITE Tape/26.2' STRONG ADHESIVE
250BYPX**	50mm 2" X BLACK Imprint/YELLOW Tape/26.2'
250BBPX	50mm 2" X BLACK Imprint/BLUE Tape/26.2'
250BGPX	50mm 2" X BLACK Imprint/GREEN Tape/26.2'
250BRPX	50mm 2" X BLACK Imprint/RED Tape/26.2'

SPECIALTY TAPES

FLUORESCENT POLYESTER TAPE Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400, LW-PX350, LW-PX300. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.

PART NUMBER	DESCRIPTION
218FRPX	18mm 3/4" BLACK Imprint/FLUORESCENT RED Tape/30'
218FPPX	18mm 3/4" BLACK Imprint/FLUORESCENT Pink Tape/30'
218FOPX †	18mm 3/4" BLACK Imprint/FLUORESCENT ORANGE Tape/30'
218FYPX †	18mm 3/4" BLACK Imprint/FLUORESCENT YELLOW Tape/30'
218FGPX †	18mm 3/4" BLACK Imprint/FLUORESCENT GREEN Tape/30'

EXTRA-TOUGH NYLON TAPE Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400, LW-PX350, LW-PX300. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.

PART NUMBER	DESCRIPTION
212NYLBWPX †	12mm 1/2" BLACK Imprint/WHITE NYLON Tape/19'
218NYLBWPX †	18mm 3/4" BLACK Imprint/WHITE NYLON Tape/19'
224NYLBWPX †	24mm 1" BLACK Imprint/WHITE NYLON Tape/19'

Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400. Use in K-Sun® models: 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.

PART NUMBER	DESCRIPTION
224NYLBWPX	24mm 1" BLACK Imprint/WHITE NYLON Tape/19'

CLEANING Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800. Use in K-Sun® model: PEARLabel®360.

PART NUMBER	DESCRIPTION
236HCPX	36mm 1.5" Cleaning Cartridge 4m, 13' 100 Uses - LIMITED SUPPLY
250HCPX	50mm 2" Cleaning Cartridge 4m, 13' 100 Uses



208B20BWPX 1/4" Shrink Tube



209BWPX 3/8" Black on White Tape

** INDICATES THAT SUPPLY IS ALSO AVAILABLE IN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
† INDICATES THAT SUPPLY HAS SPLIT-BACK LINING



1 1/2" Black Imprint on Yellow Magnet 236MTBYPX



3/4" Vinyl Black on Yellow 218VBYPX

MATTE SILVER INDUSTRIAL POLYESTER TAPE Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400, LW-PX350, LW-PX300. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.

PART NUMBER	DESCRIPTION
209SMPX †	9mm 3/8" BLACK Imprint/SILVER MATTE Tape/30'
212SMPX †	12mm 1/2" BLACK Imprint/SILVER MATTE Tape/30'
218SMPX †	18mm 3/4" BLACK Imprint/SILVER MATTE Tape/30'

Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400. Use in K-Sun® models: 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.

PART NUMBER	DESCRIPTION
224SMPX †	24mm 1" BLACK Imprint/SILVER MATTE Tape/30'

Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800. Use in K-Sun® model: PEARLabel®360.

PART NUMBER	DESCRIPTION
236SMPX †	36mm 1-1/2" BLACK Imprint/SILVER MATTE Tape/30'
MAGNETIC TAPE	Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400, LW-PX350, LW-PX300. Use in K-Sun® models: BEE3®, BEE3®+, BEE3®-EZ, BEE3®-EZ+, 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.

PART NUMBER	DESCRIPTION
212MTBWPX-4.9	12mm 1/2" BLACK Imprint/WHITE MAGNET Tape/4.9'
212MTBYPX-4.9	12mm 1/2" BLACK Imprint/YELLOW MAGNET Tape/4.9'
212MTBRPX-4.9	12mm 1/2" BLACK Imprint/RED MAGNET Tape/4.9'
212MTBGPX-4.9	12mm 1/2" BLACK Imprint/GREEN MAGNET Tape/4.9'
212MTBBPX-4.9	12mm 1/2" BLACK Imprint/BLUE MAGNET Tape/4.9'
218MTBWPX-4.9	18mm 3/4" BLACK Imprint/WHITE MAGNET Tape/4.9'
218MTBYPX-4.9	18mm 3/4" BLACK Imprint/YELLOW MAGNET Tape/4.9'
218MTBRPX-4.9	18mm 3/4" BLACK Imprint/RED MAGNET Tape/4.9'
218MTBGPX-4.9	18mm 3/4" BLACK Imprint/GREEN MAGNET Tape/4.9'
218MTBBPX-4.9	18mm 3/4" BLACK Imprint/BLUE MAGNET Tape/4.9'

Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800, LW-PX700, LW-PX750, LW-PX400. Use in K-Sun® models: 2001XL, 2001XLB, 2001XLST, 2010PC, 2011XLB, 2011XLB-PC, 2012XLST, 2012XLST-PC, 2020LSTB, 2020LSTB-PC, PEARLabel®270, PEARLabel®360.

PART NUMBER	DESCRIPTION
224MTBWPX-4.9	24mm 1" BLACK Imprint/WHITE MAGNET Tape/4.9'
224MTBYPX-4.9	24mm 1" BLACK Imprint/YELLOW MAGNET Tape/4.9'
224MTBRPX-4.9	24mm 1" BLACK Imprint/RED MAGNET Tape/4.9'
224MTBGPX-4.9	24mm 1" BLACK Imprint/GREEN MAGNET Tape/4.9'
224MTBBPX-4.9	24mm 1" BLACK Imprint/BLUE MAGNET Tape/4.9'

Use in Epson models: LW-Z5000PX, LW-Z5010PX, LW-PX900, LW-PX800. Use in K-Sun® model: PEARLabel®360.

PART NUMBER	DESCRIPTION
236MTBWPX-4.9	36mm 1.5" BLACK Imprint/WHITE MAGNET Tape/4.9'
236MTBYPX-4.9	36mm 1.5" BLACK Imprint/YELLOW MAGNET Tape/4.9'
236MTBRPX-4.9	36mm 1.5" BLACK Imprint/RED MAGNET Tape/4.9'
236MTBGPX-4.9	36mm 1.5" BLACK Imprint/GREEN MAGNET Tape/4.9'
236MTBBPX-4.9	36mm 1.5" BLACK Imprint/BLUE MAGNET Tape/4.9'

Use in Epson models: LW-Z5000PX, LW-Z5010PX

PART NUMBER	DESCRIPTION
250MTBWPX	50mm 2" BLACK Imprint/WHITE MAGNET Tape 4.9'

VALUE BULK ROLLS

CONTINUOUS HEAT SHRINK TUBE Use in Epson models: LW-Z5000PX, LW-Z5010PX

PART NUMBER	DESCRIPTION
B203STBWPX*	BULK B20 HST AWG 14-22 BLACK ON WHITE 49.2'
B203STBYPX	BULK B20 HST AWG 14-22 BLACK ON YELLOW 49.2'
B208STBWPX*	BULK B20 HST AWG 16-18 BLACK ON WHITE 49.2'
B208STBYPX	BULK B20 HST AWG 16-18 BLACK ON YELLOW 49.2'

DIE-CUT HEAT SHRINK TUBE Use in Epson models: LW-Z5000PX, LW-Z5010PX

PART NUMBER	DESCRIPTION
BL203STBWX25PX	BULK-LD HST AWG 14-22 X 25mm BLACK ON WHITE 500/ROLL
BL203STBYX25PX	BULK-LD HST AWG 14-22 X 25mm BLACK ON YELLOW 500/ROLL
BL208STBWX35PX	BULK-LD HST AWG 6-18 X 35mm BLACK ON WHITE 400/ROLL
BL208STBYX35PX	BULK-LD HST AWG 6-18 X 35mm BLACK ON YELLOW 400/ROLL

INDUSTRIAL POLYESTER TAPE Use in Epson models: LW-Z5000PX, LW-Z5010PX

PART NUMBER	DESCRIPTION
B209BWPX*	BULK 9mm 3/8" BLACK Imprint/WHITE Tape/147.6'
B209BYPX*	BULK 9mm 3/8" BLACK Imprint/YELLOW Tape/147.6'
B212BWPX*	BULK 12mm 1/2" BLACK Imprint/WHITE Tape/147.6'
B212BYPX*	BULK 12mm 1/2" BLACK Imprint/YELLOW Tape/147.6'
B218BWPX*	BULK 18mm 3/4" BLACK Imprint/WHITE Tape/147.6'
B218BYPX*	BULK 18mm 3/4" BLACK Imprint/YELLOW Tape/147.6'
B224BWPX*	BULK 24mm 1" BLACK Imprint/WHITE Tape/147.6'
B224BYPX*	BULK 24mm 1" BLACK Imprint/YELLOW Tape/147.6'
B236BWPX*	BULK 36mm 1.5" BLACK Imprint/WHITE Tape/147.6'
B236BYPX*	BULK 36mm 1.5" BLACK Imprint/YELLOW Tape/147.6'
B250BWPX*	BULK 50mm 2" BLACK Imprint/WHITE Tape/147.6'
B250BYPX*	BULK 50mm 2" BLACK Imprint/YELLOW Tape/147.6'

VINYL TAPE Use in Epson models: LW-Z5000PX, LW-Z5010PX

PART NUMBER	DESCRIPTION
B212VTBWPX*	BULK 12mm 1/2" BLACK Imprint/WHITE VINYL Tape/147.6'
B212VTBYPX*	BULK 12mm 1/2" BLACK Imprint/YELLOW VINYL Tape/147.6'
B218VTBWPX*	BULK 18mm 3/4" BLACK Imprint/WHITE VINYL Tape/147.6'
B218VTBYPX*	BULK 18mm 3/4" BLACK Imprint/YELLOW VINYL Tape/147.6'
B224VTBWPX*	BULK 24mm 1" BLACK Imprint/WHITE VINYL Tape/147.6'
B224VTBYPX*	BULK 24mm 1" BLACK Imprint/YELLOW VINYL Tape/147.6'
B236VTBWPX*	BULK 36mm 1.5" BLACK Imprint/WHITE VINYL Tape/147.6'
B236VTBYPX*	BULK 36mm 1.5" BLACK Imprint/YELLOW VINYL Tape/147.6'
B250VTBWPX*	BULK 50mm 2" BLACK Imprint/WHITE VINYL Tape/147.6'
B250VTBYPX*	BULK 50mm 2" BLACK Imprint/YELLOW VINYL Tape/147.6'

CONTINUOUS VINYL SELF-LAMINATING OVERWRAP Use in Epson models: LW-Z5000PX, LW-Z5010PX

PART NUMBER	DESCRIPTION
B224VSLPX*†	BULK 24mm 1" SELF LAMINATING VINYL/147.6'
B236VSLPX*†	BULK 36mm 1.5" SELF LAMINATING VINYL/147.6'

DIE-CUT VINYL SELF-LAMINATING OVERWRAP Use in Epson models: LW-Z5000PX, LW-Z5010PX

PART NUMBER	DESCRIPTION
BVSL13X19PX	BULK DC 13mm X 19mm - .5" X .75" SELF LAM VINYL 2700 LBS/ROLL
BVSL13X38PX	BULK DC 13mm X 38mm - .5" X 1.5" SELF LAM VINYL 2700 LBS/ROLL
BVSL25X38PX	BULK DC 25mm X 38mm - 1" X 1.5" SELF LAM VINYL 1500 LBS/ROLL
BVSL38X38PX	BULK DC 38mm X 38mm - 1.5" X 1.5" SELF LAM VINYL 1000 LBS/ROLL

* INDICATES THAT SUPPLY IS ALSO AVAILABLE IN STANDARD CARTRIDGES
** INDICATES THAT SUPPLY IS ALSO AVAILABLE IN BULK ROLL (BULK ONLY COMPATIBLE WITH Z PRINTERS)
† INDICATES THAT SUPPLY HAS SPLIT-BACK LINING

Check LabelWorks.Epson.com for product updates and information

COMPARING THE LABELWORKS LINE

Choosing The Best Epson LabelWorks PX Printer for You

PRINTER MODEL	MAX LABEL WIDTH	MAX HEAT SHRINK TUBE	PRINT RESOLUTION	MAX PRINT SPEED	SCREEN	KEYBOARD	POWER SOURCE	LABEL EDITOR MOBILE CONNECTIVITY	SOFTWARE CONNECTIVITY	CUTTER	MINIMUM MARGIN	WARRANTY
 LW-Z5010PX	2" (50mm)	7/8" (21mm)	300 dpi	50mm/sec	Full Color LCD Touch Screen	QWERTY	AC Adapter or Lithium-Ion Battery	Wi-Fi	USB, Wired LAN, Wi-Fi	Auto: Full and Half	5mm lead 1mm label	Lifetime
 LW-Z5000PX	2" (50mm)	7/8" (21mm)	300 dpi	50mm/sec	n/a	n/a	AC Adapter	Wi-Fi	USB, Wired LAN, Wi-Fi	Auto: Full and Half	5mm lead 1mm label	Lifetime
 LW-PX900	1 1/2" (36mm)	7/8" (21mm)	360 dpi	35mm/sec	2-Color Backlit LCD Screen	QWERTY	AC Adapter Lithium-Ion Battery 6 AA*	n/a	USB	Auto: Full and Half	4mm lead 1mm label	Lifetime
 LW-PX800	1 1/2" (36mm)	7/8" (21mm)	360 dpi	35mm/sec	n/a	n/a	AC Adapter	Wi-Fi	USB, Wired LAN, Wi-Fi	Auto: Full and Half	10mm lead 1mm label	Lifetime
 LW-PX750	1" (24mm)	9/16" (14mm)	180 dpi	30mm/sec	2-Color Backlit LCD Screen	QWERTY	AC Adapter 6 AA*	n/a	USB	Auto: Full and Half	4mm lead 1mm label	Lifetime
 LW-PX700	1" (24mm)	9/16" (14mm)	180 dpi	30mm/sec	2-Color Backlit LCD Screen	QWERTY	AC Adapter Lithium-Ion Battery 6 AA*	n/a	USB	Auto: Full and Half	4mm lead 1mm label	Lifetime
 LW-PX400	1" (24mm)	9/16" (14mm)	180 dpi	15mm/sec	n/a	n/a	AC Adapter 6 AA*	Bluetooth®	USB, Bluetooth®	Auto: Full	10mm lead 1mm label	Lifetime
 LW-PX350	3/4" (18mm)	1/2" (11mm)	180 dpi	6mm/sec	2-Color LCD Screen	QWERTY	AC Adapter 6 AA*	n/a	n/a	Auto: Full	10mm	Lifetime
 LW-PX300	3/4" (18mm)	3/16" (5mm)	180 dpi	6mm/sec	2-Color Backlit LCD Screen	QWERTY	AC Adapter 6 AA*	n/a	n/a	Manual: Full	10mm	Lifetime

*Not included

ACCESSORIES FOR THE LABELWORKS LINE

Customize your Order with Accessories

	DESCRIPTION	PART NUMBER
CASES		
	Hard Case for LW-PX900, LW-PX700	LWCS1200
	Soft Case for LW-PX750, LW-PX350	LWCS1100
	Hard Case for LW-PX300	LWCS1000
REPLACEMENT ADAPTERS		
	LW-PX350, LW-PX300 <i>(K-Sun Legacy Models BEE3®, BEE3®-EZ)</i>	APT0615
	LW-PX900, LW-PX800 <i>(K-Sun Legacy Model PEARLabel® 360)</i>	AST1527
	LW-PX750, LW-PX700, LW-PX400 <i>(K-Sun Legacy Models K-Sun 2020LSTB, PEARLabel® 270)</i>	AST1116
	LW-Z5010PX, LW-Z5000PX <i>(K-Sun Legacy Model PEARLabel® 400iXL)</i>	AST2437
OTHER		
	Set of 2 Magnetic Attachments for LW-PX900, LW-PX700	LWPXMAG
	Lithium-Ion Battery for LW-Z5010PX, LW-PX900, LW-PX700	LWPXLION
	USB Replacement Cable, 3 ft, Fully Rated AB	LWUSB
	Rubber Guard for LW-PX400	LWRG400
	Rubber Guard for LW-PX300	LWRG300
ACCESSORIES FOR LW-Z5010PX AND LW-Z5000PX		
	LW-Z Rewinder	RW001
	Replacement full cutter for LW-Z5000PX, LW-Z5010PX	CF001
	Replacement half cutter for LW-Z5000PX, LW-Z5010PX	CH001

Check LabelWorks.Epson.com for product updates and information

PRINTER SPECIFICATIONS

Specific to Standalone Printers

LW-Z5010PX

Pages 6-9

PRINTER

Technology: Thermal Transfer
Tape Width: 4-50mm / 1/6" -2"
Max Heat Shrink Tube Width: 3-21mm / 1/8" -7/8"
Resolution: 300 dpi
Printer Head Width: 52.15 mm
Max Print Speed: 50mm / sec (with AC Adapter)

HARDWARE

Cutter: Automatic with full-cut & half-cut options
Replaceable Cutter: Yes - Half and Full
LCD: 4.3" WQVGA, Full Color Touch Screen
Keyboard: QWERTY
Internal Memory: up to 100 files and 5 images
Drop-Stop & Pick-n-print: Yes
Detection: Cover open, battery, tape detection (type and size), tape end, supply level, wireless connection

CONNECTIVITY

Interface: USB, WiFi (Wireless LAN), Wired LAN
Compatible PC Software: Epson Label Editor
Compatible Mac Software: N/A
Compatible Apps (iOS 9.0 or later Android 5.0 or later): Epson Label Editor Mobile, Epson iLabel, Epson Datacom

POWER INFORMATION

AC Adapter: Yes
Battery: Rechargeable Lithium-Ion Battery

PRINTER SETTINGS & FEATURES

Repeat Printing: Yes
Auto Increment: Yes
Number Serialization: Up to 4 alpha-numeric characters
Label Transfer from PC Software: Yes
Store and Print Images: Yes, up to 5
Mirror Printing: Yes
Mix-Length: Yes
Peel Guard Corner Rounder: N/A
Minimum Margins: 5mm lead, 1mm between labels
Vertical Printing: Yes
Cable Wrap: Yes
Flag: Yes
Patch Panel: Yes
Punch Block: Yes
Faceplate: Yes
Block 66: Yes
Barcodes: 8 formats
QR Code: Yes
Symbols: 924
Length: Auto or custom
of Fonts: 1
Frames: 74
Table: 10



Pages 10-13

LW-Z5000PX

PRINTER

Technology: Thermal Transfer
Tape Width: 4-50mm / 1/6" -2"
Max Heat Shrink Tube Width: 3-21mm / 1/8" -7/8"
Resolution: 300 dpi
Printer Head Width: 52.15 mm
Max Print Speed: 50mm / sec (with AC Adapter)

HARDWARE

Cutter: Automatic with full-cut & half-cut options
Replaceable Cutter: Yes - Half and Full
LCD: N/A
Keyboard: N/A
Internal Memory: N/A
Drop-Stop & Pick-n-print: From PC
Detection: Cover open, tape detection (type and size), tape end, supply level, wireless connection

CONNECTIVITY

Interface: USB, WiFi (Wireless LAN), Wired LAN
Compatible PC Software: Epson Label Editor
Compatible Mac Software: N/A
Compatible Apps (iOS 9.0 or later Android 5.0 or later): Epson Label Editor Mobile, Epson iLabel, Epson Datacom

POWER INFORMATION

AC Adapter: Yes
Battery: N/A

PRINTER SETTINGS & FEATURES

Repeat Printing: Yes*
Auto Increment: Yes*
Number Serialization: Yes*
Label Transfer from PC Software: N/A
Store and Print Images: N/A
Mirror Printing: Yes*
Mix-Length: Yes*
Peel Guard Corner Rounder: N/A
Minimum Margins: 5mm lead, 1mm between labels
Vertical Printing: Yes*
Cable Wrap: Yes*
Flag: Yes*
Patch Panel: Yes*
Punch Block: Yes*
Faceplate: Yes*
Block 66: Yes*
Barcodes: Yes*
QR Code: Yes*
Symbols: Yes*
Length: Auto or custom
of Fonts: Dependant on Software or Apps*
Frames: Yes*
Table: Yes*



*From PC Software and Apps

LW-PX900

Pages 14-17

PRINTER

Technology: Thermal Transfer
Tape Width: 4-36mm / 1/6" -1.5"
Max Heat Shrink Tube Width: 3-21mm / 1/8" -7/8"
Resolution: 360 dpi
Printer Head Width: 27.1mm
Max Print Speed: 35mm/sec (with AC Adapter)

HARDWARE

Cutter: Automatic with full-cut & half-cut options
Replaceable Cutter: N/A
LCD: 3.2 Monochrome Back-lit LCD
Keyboard: QWERTY
Internal Memory: Up to 100 files
Drop-Stop & Pick-n-print: Yes
Detection: Cover open, battery level, tape detection (type and size), tape end

CONNECTIVITY

Interface: USB
Compatible PC Software: Epson Label Editor
Compatible Mac Software: N/A
Compatible Apps (iOS 9.0 or later Android 5.0 or later): N/A

POWER INFORMATION

AC Adapter: Yes
Battery: Rechargeable Lithium-Ion Battery or AA

PRINTER SETTINGS & FEATURES

Repeat Printing: Yes
Auto Increment: Yes
Number Serialization: Up to 4 alpha-numeric characters
Label Transfer from PC Software: Yes
Store and Print Images: N/A
Mirror Printing: Yes
Mix-Length: Yes
Peel Guard Corner Rounder: N/A
Minimum Margins: 4mm lead, 1mm between labels
Vertical Printing: Yes
Cable Wrap: Yes
Flag: Yes
Patch Panel: Yes
Punch Block: Yes
Faceplate: Yes
Block 66: Yes
Barcodes: 8 formats
QR Code: Yes
Symbols: 892
Length: Auto or custom
of Fonts: 2
Frames: 74
Table: 10



Pages 18-21

LW-PX800

PRINTER

Technology: Thermal Transfer
Tape Width: 4-36mm / 1/6" -1.5"
Max Heat Shrink Tube Width: 3-21mm / 1/8" -7/8"
Resolution: 360 dpi
Printer Head Width: 27.1mm
Max Print Speed: 35mm/sec (with AC Adapter)

HARDWARE

Cutter: Automatic with full-cut & half-cut options
Replaceable Cutter: N/A
LCD: N/A
Keyboard: N/A
Internal Memory: N/A
Drop-Stop & Pick-n-print: From PC
Detection: Cover open, tape detection (type and size), tape end, wireless connection

CONNECTIVITY

Interface: USB, WiFi (Wireless LAN), Wired LAN
Compatible PC Software: Epson Label Editor
Compatible Mac Software: Epson Label Editor Lite
Compatible Apps (iOS 9.0 or later Android 5.0 or later): Epson Label Editor Mobile, Epson iLabel, Epson Datacom

POWER INFORMATION

AC Adapter: Yes
Battery: N/A

PRINTER SETTINGS & FEATURES

Repeat Printing: Yes*
Auto Increment: Yes*
Number Serialization: Yes*
Label Transfer from PC Software: N/A
Store and Print Images: N/A
Mirror Printing: Yes*
Mix-Length: Yes*
Peel Guard Corner Rounder: Yes
Minimum Margins: 10mm lead, 1mm between labels
Vertical Printing: Yes*
Cable Wrap: Yes*
Flag: Yes*
Patch Panel: Yes*
Punch Block: Yes*
Faceplate: Yes*
Block 66: Yes*
Barcodes: Yes*
QR Code: Yes*
Symbols: Yes*
Length: Auto or custom
of Fonts: Dependant on Software or Apps*
Frames: Yes*
Table: Yes*



*From PC Software and Apps

PRINTER SPECIFICATIONS

Specific to Standalone Printers

LW-PX750

Pages 22-25

PRINTER

Technology: Thermal Transfer
Tape Width: 4-24mm / 1/6" -1"
Max Heat Shrink Tube Width: 3-14mm / 1/8" -9/16"
Resolution: 180dpi
Printer Head Width: 18.1mm
Max Print Speed: 30mm/sec (with AC Adapter)

HARDWARE

Cutter: Automatic with full-cut & half-cut options
Replaceable Cutter: N/A
LCD: 130x64 back-lit monochrome
Keyboard: QWERTY
Internal Memory: Up to 50 files and 5 images
Drop-Stop & Pick-n-print: Yes
Detection: Cover open, battery level, tape detection (type and size), tape end

CONNECTIVITY

Interface: USB
Compatible PC Software: Epson Label Editor
Compatible Mac Software: N/A
Compatible Apps (iOS 9.0 or later Android 5.0 or later): N/A

POWER INFORMATION

AC Adapter: Yes
Battery: AA

PRINTER SETTINGS & FEATURES

Repeat Printing: Yes
Auto Increment: Yes
Number Serialization: Up to 4 digits
Label Transfer from PC Software: Yes
Store and Print Images: Yes, up to 5
Mirror Printing: Yes
Mix-Length: Yes
Peel Guard Corner Rounder: Yes
Minimum Margins: 4mm lead, 1mm between labels
Vertical Printing: Yes
Cable Wrap: Yes
Flag: Yes
Patch Panel: N/A
Punch Block: N/A
Faceplate: N/A
Block 66: N/A
Barcodes: 8 formats
QR Code: Yes
Symbols: 892
Length: Auto or custom
of Fonts: 14
Frames: 72
Table: 3



LW-PX700

Pages 26-29

PRINTER

Technology: Thermal Transfer
Tape Width: 4-24mm / 1/6" -1"
Max Heat Shrink Tube Width: 3-14mm / 1/8" -9/16"
Resolution: 180dpi
Printer Head Width: 18.1mm
Max Print Speed: 30mm/sec (with AC Adapter)

HARDWARE

Cutter: Automatic with full-cut & half-cut options
Replaceable Cutter: N/A
LCD: 3.2" monochrome back-lit LCD
Keyboard: QWERTY
Internal Memory: Up to 50 files and 5 images
Drop-Stop & Pick-n-print: Yes
Detection: Cover open, battery level, tape detection (type and size), tape end

CONNECTIVITY

Interface: USB
Compatible PC Software: Epson Label Editor
Compatible Mac Software: N/A
Compatible Apps (iOS 9.0 or later Android 5.0 or later): N/A

POWER INFORMATION

AC Adapter: Yes
Battery: Rechargeable Lithium-Ion Battery or AA

PRINTER SETTINGS & FEATURES

Repeat Printing: Yes
Auto Increment: Yes
Number Serialization: Up to 4 digits
Label Transfer from PC Software: Yes
Store and Print Images: Yes, up to 5
Mirror Printing: Yes
Mix-Length: Yes
Peel Guard Corner Rounder: N/A
Minimum Margins: 4mm lead, 1mm between labels
Vertical Printing: Yes
Cable Wrap: Yes
Flag: Yes
Patch Panel: Yes
Punch Block: Yes
Faceplate: Yes
Block 66: Yes
Barcodes: 8 formats
QR Code: Yes
Symbols: 892
Length: Auto or custom
of Fonts: 2
Frames: 72
Table: 3



*From PC Software and Apps

LW-PX400

Pages 30-33

PRINTER

Technology: Thermal Transfer
Tape Width: 4-24mm / 1/6" -1"
Max Heat Shrink Tube Width: 3-14mm / 1/8" -9/16"
Resolution: 180dpi
Printer Head Width: 18.1mm
Max Print Speed: 15mm/sec (with AC Adapter)

HARDWARE

Cutter: Automatic with full-cut
Replaceable Cutter: N/A
LCD: N/A
Keyboard: N/A
Internal Memory: N/A
Drop-Stop & Pick-n-print: From PC
Detection: Cover open, battery level, tape detection (type and size), tape end, bluetooth connectivity

CONNECTIVITY

Interface: USB, Bluetooth
Compatible PC Software: Epson Label Editor
Compatible Mac Software: Epson Label Editor Lite
Compatible Apps (iOS 9.0 or later Android 5.0 or later): Epson Label Editor Mobile, Epson iLabel, Epson Datacom

POWER INFORMATION

AC Adapter: Yes
Battery: AA

PRINTER SETTINGS & FEATURES

Repeat Printing: Yes*
Auto Increment: Yes*
Number Serialization: Yes*
Label Transfer from PC Software: N/A
Store and Print Images: N/A
Mirror Printing: Yes*
Mix-Length: Yes*
Peel Guard Corner Rounder: N/A
Minimum Margins: 10mm lead, 1mm between labels
Vertical Printing: Yes*
Cable Wrap: Yes*
Flag: Yes*
Patch Panel: Yes*
Punch Block: Yes*
Faceplate: Yes*
Block 66: Yes*
Barcodes: Yes*
QR Code: Yes*
Symbols: Yes*
Length: Auto or custom
of Fonts: Dependant on Software or Apps*
Frames: Yes*
Table: Yes*



LW-PX350

Pages 34-37

PRINTER

Technology: Thermal Transfer
Tape Width: 4-18mm / 1/6" -3/4"
Max Heat Shrink Tube Width: 3-12mm / 1/8" -1/2"
Resolution: 180dpi
Printer Head Width: 9.3mm
Max Print Speed: 6mm/sec (with AC Adapter)

HARDWARE

Cutter: Automatic with full-cut
Replaceable Cutter: N/A
LCD: 1.75" monochrome LCD
Keyboard: QWERTY
Internal Memory: Up to 4 files
Drop-Stop & Pick-n-print: N/A
Detection: Cover open, battery level, tape detection (size)

CONNECTIVITY

Interface: N/A
Compatible PC Software: N/A
Compatible Mac Software: N/A
Compatible Apps (iOS 9.0 or later Android 5.0 or later): N/A

POWER INFORMATION

AC Adapter: Yes
Battery: AA

PRINTER SETTINGS & FEATURES

Repeat Printing: N/A
Auto Increment: Yes
Number Serialization: Up to 1 digit
Label Transfer from PC Software: N/A
Store and Print Images: N/A
Mirror Printing: N/A
Mix-Length: N/A
Peel Guard Corner Rounder: N/A
Minimum Margins: 10mm
Vertical Printing: Yes
Cable Wrap: Yes
Flag: Yes
Patch Panel: N/A
Punch Block: N/A
Faceplate: N/A
Block 66: N/A
Barcodes: 8 formats
QR Code: N/A
Symbols: 1006
Length: Auto or custom
of Fonts: 14
Frames: 75
Table: 4



*From PC Software and Apps

PRINTER SPECIFICATIONS

Specific to Standalone Printers

LW-PX300

Pages 38-41

PRINTER

Technology: Thermal Transfer
Tape Width: 6-18mm / 1/4" -3/4"
Max Heat Shrink Tube Width: 3-5mm / 1/8" -3/16"
Resolution: 180dpi
Printer Head Width: 9.1mm
Max Print Speed: 6mm/sec (with AC Adapter)

HARDWARE

Cutter: Manual full cut
Replaceable Cutter: N/A
LCD: 130x48 back-lit monochrome
Keyboard: QWERTY
Internal Memory: Up to 50 files
Drop-Stop & Pick-n-print: N/A
Detection: Cover open, battery level, tape detection (size)

CONNECTIVITY

Interface: N/A
Compatible PC Software: N/A
Compatible Mac Software: N/A
Compatible Apps (iOS 9.0 or later Android 5.0 or later): N/A

POWER INFORMATION

AC Adapter: Yes
Battery: AA

PRINTER SETTINGS & FEATURES

Repeat Printing: Yes
Auto Increment: Yes
Number Serialization: Up to 1 digit
Label Transfer from PC Software: N/A
Store and Print Images: N/A
Mirror Printing: Yes
Mix-Length: N/A
Peel Guard Corner Rounder: N/A
Minimum Margins: 10mm
Vertical Printing: Yes
Cable Wrap: Yes
Flag: Yes
Patch Panel: N/A
Punch Block: N/A
Faceplate: N/A
Block 66: N/A
Barcodes: 8 formats
QR Code: N/A
Symbols: 780
Length: Auto or custom
of Fonts: 14
Frames: 89
Table: N/A



*From PC Software and Apps

PERSONAL CUSTOMER SUPPORT

Support from a Team that Cares

When you put your trust in Epson LabelWorks, you get direct access to our team of US-based product and labeling experts. Based in Somerset, Wisconsin, our customer support team is here to answer your questions, provide one-on-one training, and address any need you may have.

As many companies opt for bots or impersonal offshore tech support, with Epson LabelWorks, you'll experience VIP treatment every time! Whether you prefer phone, live chat, or email, the Epson LabelWorks team is here to make your labeling projects fast and easy.

WHAT OUR CUSTOMERS THINK OF OUR SUPPORT

"I appreciated your EXCELLENT Customer Service. What a nice change from other vendors."

Bart B.
Epson LW-PX400 User

"You guys have amazing customer service! Michelle has been awesome to work with!"

Paul A.
Epson LW-PX700 User

"I have been ordering from you for years now. I am very satisfied with your quick response and fast shipping."

Joachim L.
Epson LW-PX900 User

"Thank you so much! You went above and beyond in customer service!"

Joe S.
Epson LW-PX700 User





GET IN TOUCH



Phone
+1 800.622.6312
M-F 8am-4pm CST



Fax
+1 800.522.9108



Email
orders@labelworks.epson.com



Web
labelworks.epson.com



Address
PO Box 309, 370 SMC Drive
Somerset, WI 54025

FOLLOW US



EPSON®